TYGRIS

SAFETY DATA SHEET

DASHBOARD RENOVATOR - CHERRY R199

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form: Product name: Product code: Vaporizer: 1.2. Relevant identified uses of t	Mixture TYGRIS CHERRY DASHBOARD RENOVATOR R199 Aerosol he substance or mixture and uses advised against
1.2.1. Relevant identified uses:	Intended for general public
1.2.2. Uses advised against	No additional information available
1.3. Details of the supplier of the	e safety data sheet
Manufacturer/Supplier:	TYGRIS Industrial Unit 31 Kyle Road Industrial Estate Irvine Ayshire KA12 8LE Tel +44 (0) 1294 311 066 Email technical@tygrisindustrial.com
Further information obtainable from:	Technical Department
1.4 Emergency telephone number:	Tel +44 (0) 1294 311 066

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information	Dudley Road	0344 892 0111	Only for
	Service (Birmingham Centre)	B18 7QH		healthcare
	City Hospital	Birmingham		professionals





2.1. Classification of the substance or mixture

DASHBOARD RENOVATOR - CHERRY R199

SECTION 2: Hazards identification

Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Aerosol, Category 1	H222;H229
Skin corrosion/irritation, Category 2	H315
Specific target organ toxicity – Single exposure, Category 3, Narcosis	H336
Hazardous to the aquatic environment – Chronic Hazard, Category 3	H412
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated. Extremely flammable aerosol. May cause drowsiness or dizziness. Causes skin irritation. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP):



GHS02 GHS07

Signal word (CLP): Contains: Hazard statements (CLP):	Danger Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics H222 - Extremely flammable aerosol. H229 - Pressurised container: May burst if heated. H315 - Causes skin irritation. H336 - May cause drowsiness or dizziness. H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements	 P102 - Keep out of reach of children. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
(CLP):	No smoking. P211 - Do not spray on an open flame or other ignition source. P251 - Do not pierce or burn, even after use. P271 - Use only outdoors or in a well-ventilated area. P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII



31 Kyle Road, Irvine KA12 8LE Tel: +44 (0) 1294 311 066 technical@tygrisindustrial.com

Compilation Date: 13/04/2022 Version 2 Page 2 of 12

TYGRIS

SAFETY DATA SHEET

DASHBOARD RENOVATOR - CHERRY R199

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
PETROLEUM GASES, LIQUEFIED (Propellant gas (Aerosol))	CAS-No.: 68476-85-7 EC-No.: 270-704-2 EC Index-No.: 649-202-00-6	50 – 70	Flam. Gas 1, H220
HYDROCARBONS, C6 ISOALKANES, <5% N-HEXANE	CAS-No.: 64742-49-0 EC-No.: 931-254-9 REACH-no: 01-2119484651-34	10 – 30	Flam. Liq. 2, H225 Skin Irrit. 2, H315
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	EC-No.: 927-510-4 REACH-no: 01-2119475515-33	10 – 30	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case. Full text of H- and EUHstatements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general: First-aid measures after inhalation:	Call a poison center or a doctor if you feel unwell. Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact: First-aid measures after eye contact:	Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention. Rinse eyes with water as a precaution.
First-aid measures after ingestion:	Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms a	nd effects, both acute and delayed

Symptoms/effects:	May cause drowsiness or dizziness.
Symptoms/effects after skin	Irritation.
contact:	

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.



TYGRIS

SAFETY DATA SHEET

DASHBOARD RENOVATOR - CHERRY **R199**

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Fire hazard: Explosion hazard:	Extremely flammable aerosol. Pressurised container: May burst if heated.
Hazardous decomposition products in case of fire:	Toxic fumes may be released.
5.3. Advice for firefighters	

Protection during firefighting Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures:	Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing dust/
	fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up:	Mechanically recover the product.
Other information:	Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/ vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures	Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage	, including any incompatibilities
Storage conditions	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

7.3. Specific end use(s)

No additional information available





DASHBOARD RENOVATOR - CHERRY **R199**

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

PETROLEUM GASES, LIQUEFIED (68476-85-7)	
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA) [1]	< 1750 mg/m³
WEL STEL (OEL STEL)	< 2180 mg/m³

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls: Ensure good ventilation of the work station.

8.2.2. Personal protection equipment Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:
Safety glasses8.2.2.2. Skin protectionSkin and body protection:Wear suitable protective clothingHand protection:Protective gloves8.2.2.3. Respiratory protectionIn case of insufficient ventilation, wear suitable respiratory equipment8.2.2.4. Thermal hazards
No additional information availableIn case of insufficient ventilation, wear suitable respiratory equipment8.2.3. Environmental exposure controls

Environmental exposure controls: Avoid release to the environment.



SAFETY DATA SHEET

DASHBOARD RENOVATOR - CHERRY R199

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	Clear.
Odour:	Characteristic.
Odour threshold:	No data available
pH:	No data available
Relative evaporation rate	No data available
(butylacetate=1):	
Melting point:	Not applicable
Freezing point:	No data available
Boiling point:	No data available
Flash point:	< 23 °C
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Flammability (solid, gas):	Extremely flammable aerosol.
Vapour pressure:	No data available
Relative vapour density at 20 °C:	No data available
Relative density:	No data available
Solubility:	No data available
Partition coefficient n-octanol/	No data available
water (Log Pow): Viscosity,	No data available
kinematic:	
Viscosity, dynamic:	No data available
Explosive properties:	Pressurised container: May burst if heated.
Oxidising properties:	No data available
Explosive limits:	No data available
I	

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.



SAFETY DATA SHEET

DASHBOARD RENOVATOR - CHERRY **R199**

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity (oral):	Not classified
Acute toxicity (dermal):	Not classified
Acute toxicity (inhalation):	Not classified

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	
LD50 oral rat	> 5000 mg/kg
LD50 dermal	> 2000 mg/kg
Skin corrosion/irritation:	Causes skin irritation.
Serious eye damage/irritation:	Not classified
Respiratory or skin sensitisation:	Not classified
Germ cell mutagenicity:	Not classified
Carcinogenicity:	Not classified
Reproductive toxicity:	Not classified
STOT-single exposure:	May cause drowsiness or dizziness.
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	
STOT-single exposure May cause drowsiness or dizziness.	

STOT-repeated exposure: Aspiration hazard:

Not classified Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general: Hazardous to the aquatic environment, short–term (acute)/:	Harmful to aquatic life with long lasting effects. Not classified
Hazardous to the aquatic environment, long– term (chronic): Not rapidly degradable	Harmful to aquatic life with long lasting effects.

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	
LC50 - Fish [1]	< 10 mg/l
EC50 - Other aquatic organisms [1]	< 10 mg/l

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available



SAFETY DATA SHEET

DASHBOARD RENOVATOR - CHERRY R199

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods:

Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR

ADR

14.1. UN number

UN 1950

14.2. UN proper shipping name

AEROSOLS

Transport document description

UN 1950 AEROSOLS, 2.1, (D)

14.3. Transport hazard class(es)

2.1



14.4. Packing group

Not applicable

14.5. Environmental hazards

Dangerous for the environment:

No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR):	5F
Special provisions (ADR):	190, 327, 344, 625
Limited quantities (ADR):	11
Excepted quantities (ADR):	E0
Packing instructions (ADR):	P207, LP200
Special packing provisions (ADR):	PP87, RR6, L2
Mixed packing provisions (ADR):	MP9
Transport category (ADR):	2
Special provisions for carriage - Packages:	V14
(ADR) Special provisions for carriage -	CV9, CV12
Loading, unloading and handling (ADR):	
Special provisions for carriage - Operation:	S2
(ADR) Tunnel restriction code (ADR):	D

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No

Not applicable



TYGRIS

DASHBOARD RENOVATOR - CHERRY R199

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. National regulations

France	
Occupational diseases	
Code	Description
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

Germany

Observe restrictions according Act on the Protection of Working Mothers Employment restrictions: (MuSchG) Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG) WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1) Water hazard class (WGK): Hazardous Incident Ordinance (12. Is not subject of the Hazardous Incident Ordinance (12. BImSchV) BImSchV): **Netherlands** SZW-lijst van kankerverwekkende PETROLEUM GASES, LIQUEFIED is listed stoffen: PETROLEUM GASES, LIQUEFIED is listed SZW-lijst van mutagene stoffen: SZW-lijst van reprotoxische stoffen -None of the components are listed Borstvoeding: SZW-lijst van reprotoxische stoffen -None of the components are listed Vruchtbaarheid: SZW-lijst van reprotoxische stoffen -None of the components are listed Ontwikkeling:



SAFETY DATA SHEET

DASHBOARD RENOVATOR - CHERRY R199

R10 <H222;H229;H315;H336;H412>; Emergency management guidelines for the

storage of flammable liquids must be followed Young people below the age of 18

Pregnant/breastfeeding women working with the product must not be in direct

Denmark

Class for fire hazard: Store unit: Classification remarks:

Danish National Regulations:

Switzerland Storage class (LK):

LK 2 - Liquefied or pressurized gases

years are not allowed to use the product

contact with the product

Class II-1

5 liter

15.2. Chemical safety assessment

No chemical safety assessment has been carried out



SAFETY DATA SHEET

DASHBOARD RENOVATOR - CHERRY R199

SECTION 16: Other information

Abbreviations a	Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	



TGRIS

DASHBOARD RENOVATOR - CHERRY R199

Full text of H- and EUH-statements:	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Flam. Gas 1	Flammable gases, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.



31 Kyle Road, Irvine KA12 8LE Tel: +44 (0) 1294 311 066 technical@tygrisindustrial.com

Compilation Date: 13/04/2022 Version 2 Page 12 of 12