



PROTEAN HYDRAULIC OIL PAO 46 **TF7420**

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: PROTEAN HYDRAULIC OIL PAO 46

Article number: TF7420

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Lubricating Oil

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: TYGRIS Industrial

Unit 31

Kyle Road Industrial Estate

Irvine Ayshire KA12 8LE

Tel +44 (0) 1294 311 066 Fax +44 (0) 1294 277 115

Email technical@tygrisindustrial.com

Further information obtainable from:

Technical Department

1.4 Emergency telephone

number:

Tel +44 (0) 1294 311 066

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: This product has no classification under CLP.

2.2. Label elements

Label elements: This product has no label elements.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

SECTION 3: Composition/information on ingredients

3.2. Mixtures





PROTEAN HYDRAULIC OIL PAO 46 **TF7420**

SECTION 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water. Do not induce vomiting. Consult a doctor.

Inhalation: Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: Not applicable.

Delayed / immediate effects: Continuous skin contact may cause skin sensitivity and dermatitis.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special

treatment:

Not applicable.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to

cool containers. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

5.3. Advice for firefighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers

leakside up to prevent the escape of liquid.

6.2. Environmental precautions

Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal

by an appropriate method.

6.4. Reference to other sections

Refer to section 8 of SDS.





PROTEAN HYDRAULIC OIL PAO 46 TF7420

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling requirements: Avoid direct contact with the substance.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep away from sources of ignition. Keep

container tightly closed.

Suitable packaging: Not applicable.

7.3. Specific end use(s)

Specific end use(s): Lubricating Oil

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

DNEL / PNEC:No data available.

8.2. Exposure controls

Engineering measures: Not applicable.

Respiratory equipment: Respiratory protection not required.

Hand protection: Protective gloves.

Eye protection: Safety glasses.

Other protection: Protective clothing.

Environmental: No special requirement.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Oil

Colour: Colourless
Odour: Odourless

Solubility in water: Insoluble

Flash point°C: >150
Autoflammability°C: >200
Relative density: 0.85 - 0.87

9.2. Other information

Other information: Not applicable.

31 Kyle Road, Irvine KA12 8LE

technical@tygrisindustrial.com

Tel: +44 (0) 1294 311 066





PROTEAN HYDRAULIC OIL PAO 46 TF7420

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat. Sources of ignition. Flames.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness. **Ingestion:** There may be irritation of the throat.

Inhalation: Not applicable.

Delayed / immediate effects: Continuous skin contact may cause skin sensitivity and dermatitis.

Other information: Not applicable.





PROTEAN HYDRAULIC OIL PAO 46 TF7420

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and

Biodegradable in part only.

degradability:

12.3. Bioaccumulative potential

Bioaccumulative potential: Slightly bioaccumulable.

12.4. Mobility in soil

Mobility: Insoluble in water. Floats on water. Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations:Transfer to a suitable container and arrange for collection by specialised disposal

company.

Recovery operations: Not applicable.

Disposal of packaging: Dispose of as normal industrial waste.

NB: The user's attention is drawn to the possible existence of regional or national regulations

regarding disposal.

SECTION 14: Transport information

Transport class: This product does not require a classification for transport.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical safety assessment





PROTEAN HYDRAULIC OIL PAO 46
TF7420

SECTION 16: Other information

Other information:

This safety data sheet is prepared in accordance with Commission Regulation (EU) No

2015/830.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and

shall be used only as a guide. This company shall not be held liable for any damage

resulting from handling or from contact with the above product.

