SAFETY DATA SHEET

PROTEAN

PROTEAN HYDRAULIC VHVI 68 TF9200

SECTION 1: Identification of the substance/mixture and of the company/undertaking	
1.1. Product identifier	
Trade name:	PROTEAN HYDRAULIC VHVI 68
Article number:	TF9200
1.2. Relevant identified uses o	f the substance or mixture and uses advised against
Use of substance / mixture:	Lubricating Oil
1.3. Details of the supplier of t	he safety data sheet
Manufacturer/Supplier:	TYGRIS Industrial Unit 31 Kyle Road Industrial Estate Irvine Ayrshire KA12 8LE Tel +44 (0) 1294 311 066 Email technical@tygrisindustrial.com
Further information obtainable from: 1.4. Emergency telephone number:	Technical Department Tel +44 (0) 1294 311 066
SECTION 2: Hazards identification	
2.1. Classification of the substance or mixture	
Classification under CLP:	This product has no classification under CLP. This
2.2. Label elements	product has no label elements.

2.3. Other hazards

This product is not identified as a PBT/vPvB substance.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

PBT:



SAFETY DATA SHEET

PROTEAN HYDRAULIC VHVI 68 TF9200

SECTION 4: First aid measures

4.1. Description of first aid measures		
Skin contact:	Wash immediately with plenty of soap and water.	
Eye contact:	Bathe the eye with running water for 15 minutes.	
Ingestion:	Wash out mouth with water. Do not induce vomiting. Consult a doctor.	
Inhalation:	Not applicable.	
4.2. Most important symptoms and effects, both acute and delayed		
Skin contact:	There may be mild irritation at the site of contact.	
Eye contact:	There may be irritation and redness.	
Ingestion:	There may be irritation of the throat.	
Inhalation:	Not applicable.	
Delayed / immediate effects:	Continuous skin contact may cause skin sensitivity and dermatitis.	
4.3. Indication of any immediate medical attention and special treatment needed		

SECTION 5: Firefighting measures

5.1. Extinguishing media	
Extinguishing media:	Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers. Carbon dioxide.
5.2. Special hazards arising from the substance or mixture	
Exposure hazards:	In combustion emits toxic fumes of carbon dioxide / carbon monoxide.
5.3. Advice for firefighters	
Advice for fire-fighters:	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.



PROTEAN HYDRAULIC VHVI 68 TF9200

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1. Personal precautions, protective equipment and emergency procedures		
Personal precautions:	Refer to section 8 of SDS for personal protection details. Turn leaking containers leakside up to prevent the escape of liquid.	
6.2. Environmental precaution	S	
Environmental precautions:	Do not discharge into drains or rivers. Contain the spillage using bunding.	
6.3. Methods and material for containment and cleaning up		
Clean-up procedures:	Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.	
6.4. Reference to other section	S	
Reference to other sections:	Refer to section 8 of SDS.	
SECTION 7: Handling and stor	age	
7.1. Precautions for safe handling		
Handling requirements:	Avoid direct contact with the substance.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage conditions:	Store in a cool, well ventilated area. Keep away from sources of ignition. Keep container tightly closed.	
7.3. Specific end use(s)		
Specific end use(s):	Lubricating Oil	
SECTION 8: Exposure controls	s/personal protection	
8.1. Control parameters		
Workplace exposure limits:	No data available.	
DNEL/PNEC Values		
DNEL/PNEC:		
8.2. Exposure controls	No data available.	
Engineering measures:		
Respiratory equipment:	Not applicable.	
	Respiratory protection not required.	
Hand protection:	Protective gloves.	
Eye protection:	Safety glasses.	
Skin protection:	Protective clothing.	

Environmental: No special requirement.

PROTEAN

PROTEAN HYDRAULIC VHVI 68 TF9200

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties	
State:	Oil
Colour:	Colourless
Odour:	Odourless
Solubility in water:	Insoluble
Flash point °C:	> 150
Autoflammability °C:	> 200
Relative density:	0.85
9.2. Other information	

SECTION 10: Stability and reactivity		
10.1. Reactivity		
Reactivity:	Stable under recommended transport or storage conditions.	
10.2. Chemical stability		
Chemical stability:	Stable under normal conditions.	
10.3. Possibility of hazardous reactions		
Hazardous reactions:	Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below.	
10.4. Conditions to avoid		
Conditions to avoid:	Heat. Sources of ignition. Flames.	
10.5. Incompatible materials		
Materials to avoid:	Strong oxidising agents. Strong acids.	
10.6. Hazardous decomposition products		
Haz. decomp. products:	In combustion emits toxic fumes of carbon dioxide / carbon monoxide.	



PROTEAN HYDRAULIC VHVI 68 TF9200

SECTION 11: Toxicological information

11.1. Information on toxicologi	cal effects
Toxicity values:	No data available.
Symptoms / routes of exposure	9
Skin contact:	There may be mild irritation at the site of contact.
Eye contact:	There may be irritation and redness.
Ingestion:	There may be irritation of the throat.
Inhalation:	Not applicable.
Delayed / immediate effects:	Continuous skin contact may cause skin sensitivity and dermatitis.
SECTION 12: Ecological information	
12.1. Toxicity	
Ecotoxicity values:	No data available.
12.2. Persistence and degradat	bility
Persistence and degradability:	Biodegradable in part only.
12.3. Bioaccumulative potentia	1
Bioaccumulative potential:	Slightly bioaccumulable.
12.4. Mobility in soil	
Mobility:	Insoluble in water. Floats on water. Readily absorbed into soil.
12.5. Results of PBT and vPvB	assessment
PBT identification:	This product is not identified as a PBT/vPvB substance.
12.6. Other adverse effects	
Other adverse effects:	Negligible ecotoxicity.
SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Disposal operations:	Transfer to a suitable container and arrange for collection by specialised disposal company.
Recovery operations:	Not applicable.

Disposal of packaging: Dispose of as normal industrial waste.

The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

PROTEAN

NB:

PROTEAN HYDRAULIC VHVI 68 TF9200

SECTION 14: Transport information

Transport class:

This product does not require a classification for transport.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical safety assessment

SECTION 16: Other information	
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

