SAFETY DATA SHEET

WHITE LITHIUM GREASE TG8405

1.1 Product identifier	
Trade name:	WHITE LITHIUM GREASE
Article number:	TG8430W
1.2 Relevant identified uses of the	ne substance or mixture and uses advised against
Use of substance / mixture:	PC24: Lubricants, greases, release products.
1.3 Details of the supplier of the	safety data sheet
Manufacturer/Supplier:	TYGRIS Industrial Unit 31, Kyle Road Industrial Estate Irvine Ayrshire KA12 8LE Tel +44 (0) 1294 311 066 Fax +44 (0) 1294 277 115 Email technical@tygrisindustrial.com
Further information obtainable from:	Technical Department
1.4 Emergency telephone number:	Tel +44 (0) 1294 311 066

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture				
Classification under CLP:	Aquatic Chronic 2: H411			
Most important adverse effects:	Toxic to aquatic life with long lasting effects.			
2.2. Label elements				
Hazard Statements: Hazard pictograms:	H411: Toxic to aquatic life with long lasting effects. GHS09: Environmental			
Precautionary Statements:	 P273: Avoid release to the environment. P391: Collect spillage. P501: Dispose of contents/container to hazardous or special waste collection point. 			
2.3. Other hazards PBT:	This product is not identified as a PBT/vPvB substance			



WHITE LITHIUM GREASE TG8405

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

ZINC OXIDE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
-	1314-13-2	-	Aquatic Chronic 1: H410; Aquatic Acute 1: H400	1-10%

SECTION 4: First aid measures

4.1. Description of first aid measures

Skin contact:	Wash immediately with plenty of soap and water.	
Eye contact:	Bathe the eye with running water for 15 minutes.	
Ingestion:	Wash out mouth with water. Do not induce vomiting. Consult a doctor.	
Inhalation:	Not applicable.	
4.2. Most important symptoms a	and effects, both acute and delayed	
Skin contact:	There may be irritation and redness at the site of contact.	
Eye contact:	There may be irritation and redness.	
Ingestion:	There may be irritation of the throat.	
Inhalation:	Not applicable.	
Delayed / immediate effects:	Continuous skin contact may cause skin sensitivity and dermatitis.	
4.3. Indication of any immediate medical attention and special treatment needed		
Immediate / special treatment:	Not applicable.	
SECTION 5: Firefighting measured	res	
5.1 Extinguishing media		
Extinguishing media:	Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers. Carbon dioxide.	
5.2. Special hazards arising from	m the substance or mixture	
Exposure hazards:	In combustion emits toxic fumes of carbon dioxide / carbon monoxide.	
5.3. Advice for fire-fighters		
Advice for fire-fighters:	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.	



WHITE LITHIUM GREASE TG8405

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures		
Personal precautions:	Refer to section 8 of SDS for personal protection details. Turn leaking containers leakside up to prevent the escape of liquid. Mark out the contaminated area with signs and prevent access to unauthorised personnel.	
6.2. Environmental precautions		
Environmental precautions:	Do not discharge into drains or rivers. Contain the spillage using bunding.	
6.3. Methods and material for co	ntainment and cleaning up	
Clean-up procedures:	Absorb into dry earth or sand. Transfer to a closable, labelled salvage container	
	for disposal by an appropriate method.	
6.4. Reference to other sections		
Reference to other sections:	Refer to section 8 of SDS.	
SECTION 7: Handling and storage	je	
7.1 Precautions for safe handling	3	
Handling requirements:	Avoid direct contact with the substance.	
7.2. Conditions for safe storage,	including any incompatibilities	
Storage conditions:	Store in a cool, well ventilated area. Keep away from sources of ignition. Keep container tightly closed. The floor of the storage room must be impermeable to prevent the escape of liquids.	
Suitable packaging:	Not applicable.	
7.3. Specific end use(s)		
Specific end use(s):	PC24: Lubricants, greases, release products.	



WHITE LITHIUM GREASE TG8405

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients: ZINC OXIDE Workplace exposure limits:

			Respirable dust:	
State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	5 mg/m3	10 mg/m3	-	-

DNEL/PNEC Values

DNEL / PNEC:

No data available.

8.2. Exposure controls

Engineering measures:The floor of the storage room must be impermeable to prevent the escape of liquids.Respiratory protection:Respiratory protection not required.Hand protection:Protective gloves.Eye protection:Safety glasses.Skin protection:Protective clothing.Environmental:No special requirement.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:	Grease
Colour:	Off-white
Odour:	Odourless
Solubility in water:	Insoluble
Melting point/range°C:	>150
Flash point°C:	>150
Autoflammability°C:	>200
Relative density:	0.96
9.2. Other information	
Other information:	Not applicable.



SAFETY DATA SHEET

WHITE LITHIUM GREASE TG8405

SECTION 10: Stability and reactivity

10.1. Reactivity	
Reactivity:	Stable under recommended transport or storage conditions.
10.2. Chemical stability	
Chemical stability:	Stable under normal conditions.
10.3. Possibility of hazardous re	eactions
Hazardous reactions:	Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below.
10.4. Conditions to avoid	
Conditions to avoid:	Heat. Sources of ignition. Flames.
10.5. Incompatible materials	
Materials to avoid:	Strong oxidising agents. Strong acids.
10.6. Hazardous decomposition	products
Hazardous decomposition products:	In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

ZINC OXIDE

IPR	RAT	LD50	240	mg/kg
ORL	MUS	LD50	7950	mg/kg

Toxicity values:	No data available.
Symptoms / routes of exposure	
Skin contact:	There may be mild irritation at the site of contact.
Eye contact:	There may be irritation and redness.
Ingestion:	There may be irritation of the throat.
Inhalation:	Not applicable.
Delayed / immediate effects: Other information:	Continuous skin contact may cause skin sensitivity and dermatitis. Not applicable.



WHITE LITHIUM GREASE TG8405

SECTION 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

ZINC OXIDE

ALGAE	72H ErC50	.042	mg/l
DAPHNIA	48H EC50	98	μg/l
FISH	96H LC50	320	mg/l

12.2. Persistence and degradability		
Persistence and degradability:	Not biodegradable.	
12.3. Bioaccumulative potentia	al	
Bioaccumulative potential:	Bioaccumulation potential.	
12.4. Mobility in soil		
Mobility:	Insoluble in water. Floats on water. Absorbed only slowly into soil.	
12.5. Results of PBT and vPvB assessment		
PBT identification:	This product is not identified as a PBT/vPvB substance.	
12.6. Other adverse effects		
Other adverse effects:	Toxic to aquatic organisms. Toxic to soil organisms.	
SECTION 13: Disposal considerations		
13.1. Waste treatment methods	S	
Disposal operations:	Transfer to a suitable container and arrange for collection by specialised disposal company.	

	company.
Recovery operations:	Not applicable.
Disposal of packaging:	Dispose of as normal industrial waste.
NB:	The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.



WHITE LITHIUM GREASE TG8405

SECTION 14: Transport information

14.1. UN number		
UN number:	UN3082	
14.2. UN proper shipping name		
Shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	
14.3. Transport hazard class(es)	
Transport class:	9	
14.4. Packing group		
Packing group:	III	
14.5. Environmental hazards		
Environmentally hazardous:	Yes	
Marine pollutant:	No	
14.6. Special precautions for user		
Special precautions:	No special precautions.	

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical safety assessment

SECTION 16: Other information

Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.
Phrases used in s.2 and s.3:	H410: Very toxic to aquatic life with long lasting effects. H411: Toxic to aquatic life with long lasting effects.
Legal disclaimer	The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

