



TYGRIS

Reduce Downtime. Increase Efficiency

MRO BROCHURE

Explore the full range of TYGRIS MRO products.
For data sheets or more information visit:

TYGRISINDUSTRIAL.COM

Contents

Cleaners	3
Lubricants	11
Protecting & Finishing	24
Speciality Lubricants	37
Industrial Lubricants	43
Metal Working & Fabrication	52
Anti-Corrosion Fluids	54
Anti-Sieze Compounds	56
Industrial Cleaners & Degreasers	59
Greasing Equipment	62



Dashboard Renovator

TYGRIS Dashboard Renovator is a light duty, pleasantly fragranced cleaner and polish for internal plastics and trim in automotive applications. It cleans and shines dashboards, fascias and other interior panels, restoring to original appearance without the need for manual buffing. It is fast acting with nearly instantaneous evaporation.

BENEFITS:

- Silicone based for good cleaning and finish
- Easy to use, no buffing required
- Restores original appearance
- Fast acting and evaporation
- Pleasant fragrance

CHERRY

PRODUCT CODE	SIZE
R199	400ml

APPLE

PRODUCT CODE	SIZE
R200	400ml

CRANBERRY

PRODUCT CODE	SIZE
R205	400ml



Carburettor Cleaner

TYGRIS R201 is a strong solvent based cleaner used for the removal of oil, grease and stubborn gum deposits from carburettors and injection systems. Suitable also for cleaning brake parts and automatic chokes without dismantling in order to prevent stalling and to smooth out rough idling.

BENEFITS:

- Strong solvent for stubborn deposits
- Dissolves grease and oil
- Helps to restore engine performance
- Removes combustion deposits from nail gun mechanisms
- Safe for use with catalytic convertors and oxygen sensors.

PRODUCT CODE	SIZE
R201	400ml



Brake Cleaner

TYGRIS R202 is a powerful cleaning fluid used to remove oil, grease, dirt and dust from brakes and clutches, aiding in the elimination of brake squeal and clutch slip caused by glazing and contamination. Can be used on many other surfaces as a powerful cleaning agent.

BENEFITS:

- Colourless – non-staining
- Fast evaporating solvents
- Effective against grease, brake fluid, brake and clutch dust
- Can be used to remove tar spots from some surfaces
- Eliminates brake squeal

PRODUCT CODE

SIZE

R202

400ml



Engine Degreaser

TYGRIS R203 is a powerful, heavy duty emulsifiable solvent degreaser and de-waxer which simply sprays on and washes off, quickly removing oil, grease and tar deposits from engines and other surfaces.

BENEFITS:

- Use on any metallic surface
- Removes grease, tar stains, oil, bitumen, waxes etc.
- Dissolves and emulsifies for easy removal
- Can be used on most plastic and painted surfaces
- Suitable for spot removal on concrete

PRODUCT CODE

SIZE

R203

400ml



Dashboard Cleaner Non-Silicone

TYGRIS R270 is a light duty, perfumed cleaner and polish for internal plastic, wood and veneered trim in automotive applications. It cleans as well as shines dashboards, fascias, and other interior panels, restoring to original appearance without the need for manual buffing. It is fast acting with nearly instantaneous evaporation and, being silicone-free, can be used in areas where painting and re-finishing takes place.

BENEFITS:

- Silicone-free for use in areas where re-finishing takes place
- Easy to use, no buffing required
- Restores original appearance
- Fast acting and evaporation
- Pleasant fragrance

PRODUCT CODE

SIZE

R270

400ml



Brake Cleaner High Power

TYGRIS R274 is a high power spray cleaning fluid used to remove oil, grease, dirt and dust from brakes and clutches, aiding in the elimination of brake squeal and clutch slip caused by glazing and contamination. Can be used on many other surfaces as a powerful cleaning agent.

BENEFITS:

- Very powerful spray
- Colourless – non-staining
- Fast evaporating solvents
- Effective against grease, brake fluid, brake and clutch dust
- Can be used to remove tar spots from some surfaces
- Eliminates brake squeal

PRODUCT CODE

SIZE

R274

480ml



PRECISION Electro Clean

TYGRIS IS20 is a very fast evaporating solvent cleaner for use on electrical components, making maintenance quick and safe on switchgear, fork lift electrics and where equipment will be used soon after this is carried out. Requiring no rinsing or cleaning off, grease and dirt are quickly and efficiently removed.

BENEFITS:

- Very fast evaporating
- Non-conductive
- Efficient removal of grease and dirt
- Requires no further processing
- Safe on most plastics and painted surfaces

PRODUCT CODE

SIZE

IS20

400ml



PRECISION Mould & Tool Cleaner Xtra

TYGRIS IS25 effectively removes surface rust, grease and oil from injection moulds, dies and other metal components, with a fast-drying solvent which leaves no residue, for minimal down time. High powered spray effectively flushes debris from difficult to reach areas.

BENEFITS:

- Non-flammable CO2 propellant
- Propellant mixes fully with product which means that the can contains a full 480ml of usable fluid
- Fast evaporating
- High powered cleaning
- Leaves no residue
- Is also a very effective general purpose solvent cleaner

PRODUCT CODE

SIZE

IS25

480ml



PRECISION Mould & Tool Cleaner Supa

TYGRIS IS27 is used for the removal of difficult to dislodge deposits on injection moulds and metal components. Slow evaporation means that it can be used on warm moulds and can be left to work before wiping off.

BENEFITS:

- Slow evaporating
- Effectively removes difficult and burnt on deposits
- Works even on warm moulds where other solvents evaporate too quickly.

PRODUCT CODE

IS27

SIZE

480ml



Electrical Cleaner

TYGRIS R235 Electrical Cleaning Solvent is an alcohol based cleaning solvent designed for use in the electronics and switchgear industries and is suitable for cleaning most electrical apparatus. Safe to use with most plastics, it effectively cleans and degreases electrical contacts, circuit boards and print heads, leaving no residue.

BENEFITS:

- Powerful, effective cleaner Removes stains, coatings, printing aids, oil, grease, dirt and most fluxes
- Leaves no residue
- Controlled drying time
- Safe with most plastics and on delicate instruments
- Does not cause corrosion of metals
- Low toxicity

PRODUCT CODE

R235

SIZE

400ml



Industrial Cleaner Fast Drying

TYGRIS R207 is a fast drying industrial cleaner which is used to break down grease, dirt, oil and other workshop contaminants quickly and easily without the need of subsequent rinsing, saving time and maintaining a clean environment.

BENEFITS:

- Powerful solvent cleaning
- Breaks down workshop contaminants quickly
- Solvent evaporates quickly, leaving a clean surface
- Non-chlorinated
- No need for rinsing – leaves no residue.

PRODUCT CODE

R207

SIZE

400ml

Circuit Freezer Spray Low GWP



TYGRIS R240 is a rapid cooling agent used in a number of applications where lowering the temperature quickly is beneficial, including the detection of electronic equipment faults, working on small bore water pipes, and shrink fitting of close-tolerance metal parts. A non-flammable, inert, liquefied gas.

BENEFITS:

- F-GASES II (EC) REGULATION 517/2014 Compliant Product. Low GWP (Global Warming Potential) with NO ozone depletion potential
- Rapidly cools components to freezing point
- Detects faults in electronic circuits by reducing the temperature
- Use to shrink fit metal parts
- Quickly freezes small bore pipes for safe working
- Can be used to freeze gum – toffee – candle wax and other soft deposits

PRODUCT CODE

SIZE

R240

400ml

Micro Air Duster Low GWP



TYGRIS R241 is designed to physically remove dust, dirt and other loose-adhering contaminants, where the use of the wet chemical products would be prohibited or impractical, TYGRIS R241 is suitable for use on electrical / electronic devices and equipment commonly found at home, work or play. Ideal for removing dust and debris from those hard-to-reach places.

BENEFITS:

- F-GASES II (EC) REGULATION 517/2014 Compliant Product
- Low GWP (Global Warming Potential) with NO ozone depletion potential
- Highly pressurised discharge for rapid and effective dust & debris removal
- Immediate evaporation
- Extension nozzle for accurate application and accessing difficult-to-reach areas
- Non-flammable

PRODUCT CODE

SIZE

R241

400ml

Glass & Mirror Cleaner



TYGRIS R244 is a specially formulated aqueous, alcohol based cleaner which gives streak free cleaning of glass and mirrors, plastic, stainless steel and chrome. It is powerful enough to remove nicotine, finger marks, insects, lipstick and much more, making it ideal for car valeters, hospitals, hotels, airports, jewellers, window installers and cleaning contractors.

BENEFITS:

- Dries streak-free
- Effective cleaning & degreasing
- Fast acting
- Low foaming
- Virtually residue free
- Abrasive free
- Safe for use on all glass and plastic surfaces
- High level of detergency – will remove hair spray deposits, lipstick, nicotine etc.

PRODUCT CODE

SIZE

R244

400ml



Anti-Static Foaming Cleaner

TYGRIS R245 is a foaming action cleaner designed for use around the workplace where the build up of dust is undesirable, its anti-static properties dissipate static electrical charges effectively. For use on all water resistant, non porous surfaces, the foaming action aids in clinging to vertical surfaces.

BENEFITS:

- Dissolves grease and grime
- Foaming action for use on vertical surfaces
- Minimises wetting on fabrics
- Residual anti-static effect
- For use on most surfaces including plastics
- Streak free finish
- Lemon fragrance

PRODUCT CODE

SIZE

R245

400ml



Air Freshener Cranberry

TYGRIS R248 is a powerful action air freshener that clears unwanted odours and leaves a long-lasting freshness to large and small areas. Its dry formulation makes it safe for use in the home and is ideal for hospitals, care homes, changing rooms and community centres.

BENEFITS:

- Powerful deodoriser
- Use in large and small areas
- Dry formulation
- Long lasting

PRODUCT CODE

SIZE

R248

400ml



Graffiti Remover

TYGRIS R251 is a powerful solvent and wetting agent based formulation making the removal of unwanted markings quick and effective, with minimal effect on the substrate. Will remove graffiti from plastics, wood, metal, glass, and most painted surfaces.

BENEFITS:

- Use on a wide range of surfaces including many plastics
- Wetting agents make for effective penetration
- Methylene Chloride free
- Easy to apply
- Rapid penetration
- Fast drying

PRODUCT CODE

SIZE

R251

400ml



Graffiti Remover Viscous

TYGRIS R252 – This thickened powerful graffiti remover is effective in the removal of paint graffiti, ink and felt tip, particularly on vertical surfaces or areas where the slow evaporation aids in penetration for erasure of unwanted marks.

BENEFITS:

- Thixotropic to aid in clinging to vertical surfaces
- Water washable
- Slow drying for better penetration
- Removes paint, biro, felt tip pen
- Easily applied
- Non-chlorinated
- Also effective in the removal of old gaskets.

PRODUCT CODE

SIZE

R252

400ml



Ink & Gum Remover Citrus Based

TYGRIS R255 is an effective means of removing old and stubborn ink marks and gum deposits, leaving a pleasant citrus smell.

BENEFITS:

- Reasonably fast evaporation rate
- Leaves no residue
- Effective in delicate applications
- May also be used for heavier duty cleaning
- Easy to use with integral directional nozzle
- Removes stains, oil, grease, and printing inks.

PRODUCT CODE

SIZE

R255

400ml



Stainless Steel Cleaner

TYGRIS R258 maintains a sparkling appearance to stainless steel, chrome and aluminium surfaces. Its non-abrasive formulation cleans without scratching, leaving a protective film to aid in future maintenance.

BENEFITS:

- Non-abrasive – leaves no scratches
- Effective on stainless steel, chrome and aluminium
- Use on supermarket checkouts, window surrounds and kitchen equipment (not including food preparation surfaces)
- Removes grease
- Inert composition, acid and alkali free
- Silicone free
- Leaves a protective clear film
- Lemon fragrance

PRODUCT CODE

SIZE

R258

400ml



Super Power Air Freshener Cranberry

TYGRIS R261 is a powerful room air freshener that will counter unpleasant odours across large areas, replacing them with a fresh and pleasant aroma. Its extra power nozzle propels the product over a significant distance.

BENEFITS:

- High power nozzle for extra propulsion
- Pleasant cranberry aroma
- Dry formulation for use in healthcare, community, leisure and commercial locations.

PRODUCT CODE

SIZE

R261

750ml



Sticky Label Remover

TYGRIS R267 is a solvent based blend for the removal of sticky labels from most substrates including many plastics, metals, rubbers, painted surfaces and other impervious materials, leaving no residue or markings.

BENEFITS:

- Dissolves gums and adhesives from self adhesive labels
- Leaves no residues
- Suitable for most surfaces
- High penetrating power

PRODUCT CODE

SIZE

R267

400ml



Lubricants

Who doesn't love a smooth operation? Here at TYGRIS, we take pride in providing industries with powerful solutions, and our range of industrial greases and lubricants give the best results, even in extreme conditions.



PRECISION Looz-n-It Penetrating Oil

TYGRIS IS1 is a premium release fluid providing a powerful penetrating action which releases and lubricates metal components which have seized through corrosion, remaining effective even under water. Giving effective penetration and lubrication without damaging paintwork, it also actively displaces moisture and does not dry off.

BENEFITS:

- Fast penetration of rust and corrosion deposits
- Works effectively in wet and damp conditions
- Water repellent
- Displaces moisture
- Excellent lubrication properties
- Cleans and degreases
- Removes moisture from ignition systems

PRODUCT CODE

SIZE

IS1

400ml



PRECISION Mould Release Medium

TYGRIS IS5 contains a special blend of 10% silicone and PTFE, resulting in a very effective, proven mould release agent for the Plastic Injection Moulding Industry. Being colourless, it is non-staining and is heat stable up to 300°C.

BENEFITS:

- 10% silicone
- Added PTFE for an effective release agent increasing the number of releases
- No other additives
- Maximum surface slip
- Colourless and non-marking
- Virtually odourless
- Stable up to 300°C

PRODUCT CODE

SIZE

IS5

400ml



PRECISION Mould Release Light

TYGRIS IS9 Mould Release is ideal for the release of delicate plastic mouldings. This is particularly useful where marking of the plastic might otherwise occur. Used to give fine and lasting lubrication in a wide range of industrial applications, it is stable up to 300°C.

BENEFITS:

- 8% silicone – for delicate and small mouldings
- No other additives
- Good flow properties
- Colourless and non-marking
- Safe and odourless
- Gives lasting lubrication
- Heat stable up to 300°C

PRODUCT CODE

SIZE

IS9

400ml



PRECISION Mould Release Heavy

TYGRIS IS10 is a heavy duty mould release agent with a 15% silicone content used for the release of more difficult plastic mouldings. Safe, colourless and non-staining it is useful as a lubricant around the workplace, and is temperature stable up to 300°C.

BENEFITS:

- 15% silicone content – for larger mouldings
- Excellent release properties
- Very high surface slip
- Colourless and non-marking
- Odourless and inoffensive
- Effective as a general lubricant
- Heat stable up to 300°C

PRODUCT CODE

SIZE

IS10

400ml



PRECISION Mould Release Non-Silicone

TYGRIS IS13 is an excellent alternative to silicone spray for use in the Plastic Moulding industry. It is a quick drying solvent and oil blend with a vegetable oil base, stable up to 220°C. It is non-chlorinated and is easily removed by ordinary washing, facilitating further product finishing.

BENEFITS:

- Non-silicone content to allow for overpainting - lacquering - overprinting - gluing or welding;
- Effective where a high gloss finish is desirable;
- Quick drying;
- Easily cleaned off with conventional detergents

PRODUCT CODE

SIZE

IS13

400ml

PRECISION Ceramic Release Agent

PRECISION Ceramic Release Agent is a ceramic / boron nitride spray for use as a dry film protective coating on MIG welding torches, jigs, fittings and cables etc to prevent the adhesion of welding spatter. Also used as an excellent lubricant on moulds and dies used in aluminium extrusion processes.

BENEFITS:

- Effective up to 1100°C
- Water and acid resistant
- Use on a wide range of metals
- Prevents seizure of threaded parts
- Will not burn or wash off
- Eliminates brake squeal
- Assists in assembly and disassembly of components

PRODUCT CODE

SIZE

IS35

400ml



PRECISION Clear Forklift Chain Lubricant

TYGRIS IS75 is a premium-grade oil based product that gives clear lubrication to chains and other moving parts where a dark coloured lubricant would be undesirable. Its anti-fling properties make it very effective when used on moving parts, penetrating into the mechanism and depositing a film of extreme pressure additives which will withstand pressure washing.

BENEFITS:

- Clear, non-staining
- Extreme pressure additives for heavy use
- Effective on fork lift chains, sprockets, pins and bushes
- Tenacious – will not fling off
- Penetrates deeply
- Withstands pressure washing
- 150°C Continuous – 300°C Intermittent

PRODUCT CODE

SIZE

IS75

400ml



Metal Working Spray

TYGRIS R208 Metal Working Spray has been developed specifically to meet the cutting lubrication demands of harder metals such as stainless steel. Its enhanced extreme pressure additives and non-solvent, high mineral oil contents make R208 a consistently high performing lubricant which cools and penetrates to enable a clean cutting action and increase tool life.

BENEFITS:

- Proven performance on stainless steel
- Fast flowing and penetrating formula
- Enhanced extreme pressure additives
- Solvent free
- Developed for hard materials
- Suitable for cutting, tapping, drilling and reaming
- Reduces heat build up
- Prolongs tool life and improves machined finish

PRODUCT CODE

SIZE

R208

400ml





Graphite Penetrating Oil

A graphite reinforced penetrating fluid, designed for use in semi-hostile environments, lubricating in temperatures of up to 150°C, and penetrating to free seized and corroded metallic components. The presence of micronized graphite particles provides extended lubrication intervals and is also useful for anti seize applications.

BENEFITS:

- Contains micronized graphite particles
- Enhanced load bearing performance
- Good anti-scuff properties
- Fast penetration of rust
- Higher temperature range than conventional oils
- Excellent for freeing seized and corroded parts
- Leaves a residual lubricating film.

PRODUCT CODE

SIZE

R209

400ml



Clear Fine Oil

TYGRIS R211 is a general purpose, light duty lubricant and penetrant designed to release seized components and lubricate small, delicate mechanisms.

BENEFITS:

- Releases seized and rusted parts
- Effective on small and delicate components
- Rapid penetrating action
- Use on metallic components
- Low viscosity

PRODUCT CODE

SIZE

R211

400ml



Clear Penetrating Oil

TYGRIS R212 is a clear 'low-viscosity' oil based product used to aid the removal and freeing of seized nuts and bolts, hinges, locks, tools and fittings with a fast penetrating capillary action. Leaves a clear protective film to guard against further corrosion.

BENEFITS:

- Low viscosity for maximum penetration
- Easy to apply and works quickly
- De-watering capability
- Leaves a protective film against corrosion
- Also suitable for light lubrication duties

PRODUCT CODE

SIZE

R212

400ml



Water Displacing Anti-Rust Agent

TYGRIS R213 is a high performance water displacement spray which actively drives out moisture, even from hard-to-reach areas, leaving a fine lubricating film which protects against corrosion. This film enables future dismantling of equipment. Also an effective cleaner and degreaser.

BENEFITS:

- Silicone free
- Powerful water displacement properties
- Leaves a shield against further moisture ingress
- Leaves a protective film, guarding against corrosion
- Good general lubrication for most components
- A rapid penetrant for seized fixings

PRODUCT CODE

SIZE

R213

400ml



Cutting & Tapping Fluid

TYGRIS R214 is a ready to use cutting and tapping fluid specially formulated to improve tool performance and extend tool life. It contains additives to prevent pitting, galling and metal seizure and is suitable for use on hard to work metals including stainless steel, titanium, aluminium and tool steel.

BENEFITS:

- For cutting, tapping, reaming and turning
- Extreme pressure additives for difficult materials
- High pressure, frothy discharge to aid penetration
- Prolongs tool life and improves machined finish
- Reduces heat build up
- Suitable for use on all metals
- Incorporates corrosion inhibitors

PRODUCT CODE

SIZE

R214

400ml



Open Gear Lubricant

TYGRIS R216 is a bituminous reinforced heavy duty lubricant formulated to protect and lubricate exposed gears, wire ropes and other moving parts. Exceptional penetrating and water resistance properties make it ideal for situations where exposure to weather is experienced and its tenacity resists throwing off during use.

BENEFITS:

- Highly resistant to throw off
- Water resistant for use in adverse weather conditions
- Good penetrating qualities
- Excellent lubricating power
- High pressure foaming discharge imparts excellent penetrative power
- Protects against corrosion, wear and salt
- Resistant to embrittlement over long usage

PRODUCT CODE

SIZE

R216

400ml



Silicone Lubricant

TYGRIS R217 provides clean, low odour, non-staining lubrication for many applications, especially plastic parts and seals. Non-toxic in character.

BENEFITS:

- Excellent lubricating properties
- Non-staining, low odour
- Effective on plastic, metal, wood, vinyl, rubber and other surfaces
- Non-toxic in character.
- Used for mould release in the plastics industry
- An effective surface polish
- Use on seals, slides, bearings, textile equipment etc.
- High temperature stability up to 200°C
- Water repellent

PRODUCT CODE

SIZE

R217

400ml



Moly Dry Film Lubricant

TYGRIS R218 is a molybdenum disulphide based lubricant for use where conventional wet oils would be undesirable. Particularly suitable for the assembly and running-in of gears, bearings, spindles and valves, it is effective for use where high temperatures occur, drying to a tough, matt black high slip coating.

BENEFITS:

- Dry Lubricant – does not attract dirt
- Durable coating
- Outstanding adhesion
- Extended service life
- Withstands high loads
- Working temperature to at least 350°C
- Water and chemical resistant
- Anti static properties

PRODUCT CODE

SIZE

R218

400ml



Food Safe Lubricant

TYGRIS R219 is a vegetable oil based lubricant, H1-approved for use in and around food processing areas where incidental food contact may occur. It is odourless, colourless, contains anti-throw additives and is formulated to penetrate cable cores.

BENEFITS:

- NSF: H1 registered for use in food environments
- No animal derivatives
- Silicone free
- Odourless, colourless and non-staining
- Penetrates cable cores
- Anti-throw properties for moving chains
- Use on chains, slides, gears and linkages etc.
- 180°C Continuous – 200°C Intermittent

PRODUCT CODE

SIZE

R219

400ml



Chain & Wire Lubricant

TYGRIS R220 is a heavy duty, additive-reinforced lubricant which penetrates deeply into drive chains and wire ropes to give long lasting lubrication, preventing corrosion, wear and chain elongation. It gives outstanding performance under extreme load and is resistant to fling off.

BENEFITS:

- Use on chain blocks, drive chains, fork lift chains and wire ropes
- Extreme pressure additives for heavy loads
- Excellent lubrication properties
- Resistant to flinging off
- Penetrates deeply
- Only a thin film is left on the surface for corrosion prevention
- High resistance to wash off

PRODUCT CODE

SIZE

R220

400ml



Weld Spatter Release Spray Solvent Based

TYGRIS R221 is a special non-silicone formulation ideal for use on all types of welding equipment to prevent the adhesion of welding spatter. It can be applied to workpieces, nozzles, shrouds, jigs and tools and enables free gas flow in inert gas welding.

BENEFITS:

- Non-silicone – can be used with products that require finishing
- Rapid drying
- Prevents adhesion – spatter easily removed
- Colourless – non-staining
- Does not gum up when subject to heat
- Non-flammable for maximum safety

PRODUCT CODE

SIZE

R221

300ml



Weld Spatter Release Spray Water Based

TYGRIS R222 is a water based solvent-free formulation for use on all types of welding equipment to prevent the adhesion of welding spatter. It can be applied to workpieces, nozzles, shrouds, jigs and tools. Its water based properties offer an environmentally friendly alternative to solvent based varieties.

BENEFITS:

- Prevents spatter adhesion
- Non-silicone – can be used with products that require finishing
- Excellent non-stick finish
- Non-flammable
- Water rinseable
- Dichloromethane free

PRODUCT CODE

SIZE

R222

400ml



White Grease

TYGRIS R223 is a premium quality anhydrous calcium based grease for use in applications requiring good water resistance. For use in anti-friction and plain bearing pumping equipment and in the lubrication of linkages, door latches, hinges, gears, springs, bearings, rubber components, 'O' rings, striker plates and sliding shackles.

BENEFITS:

- High water resistance for marine use
- Prevents corrosion in humid conditions
- Prevention of seizure
- Good mechanical stability
- Wide temperature Range from -20°C to 110°C

PRODUCT CODE

SIZE

R223

400ml



Non-Silicone Mould Release

TYGRIS R225 is a non-silicone release agent for use in the Plastic Moulding industry, where further finishing processes are to be carried out. With a non-chlorinated, solvent-free vegetable oil base, it is stable up to a temperature of 200°C. Conventional detergents easily remove any residue of this benign, non-toxic agent, allowing for further product finishing.

BENEFITS:

- Non-silicone content to allow for overpainting, lacquering, overprinting, gluing or welding
- Excellent surface slip
- Effective where a high gloss finish is desirable
- Easily removed by conventional detergents

PRODUCT CODE

SIZE

R225

400ml

Clear Grease

TYGRIS R226 is used on chains and moving metal parts. This high performance grease penetrates rapidly before thickening to a tenacious grease which is highly resistant to throw off. The addition of extreme-pressure additives makes it particularly effective under heavy loads.

BENEFITS:

- Clear, non-staining
- Penetrates rapidly and thickens
- Extreme-pressure additives for high loadings
- Highly resistant to throw-off
- Use on chains and other moving parts

PRODUCT CODE

SIZE

R226

400ml



Clear Polymer Chain Lubricant

TYGRIS R228 is a clear, polymer based lubricant which is used on chains and sprockets, pins and bushes where its anti-fling performance is important and where a clear invisible film is necessary for cosmetic reasons. It penetrates into the chain, depositing a film of extreme pressure additives and polymers which will withstand pressure washing.

BENEFITS:

- Fortified with PTFE for improved load resistance
- Extends chain life
- Resists and prevents corrosion
- Clean to use
- Penetrates deep into chain links
- 150°C Continuous – 300°C Intermittent

PRODUCT CODE

SIZE

R228

400ml



Drive & Bearing Lubricant

TYGRIS R229 is an effective lubricant for the lubrication of chains, bearings and wire ropes. Containing extreme pressure and anti-fling additives, this enhances chain and rope life whilst having minimal effect on rubber O-rings and components, and can be used at a wide range of temperatures.

BENEFITS:

- Anti-fling properties for moving chains
- Extreme pressure additives for long arduous service
- Not aggressive to rubber parts
- Wide temperature change
- Use on drive chains, wire ropes and bearings
- 100°C Continuous – 150°C Intermittent

PRODUCT CODE

SIZE

R229

400ml





Clear Silicone Grease

TYGRIS R230 is waterproof silicone based grease which is very effective for the insulation of electrical components and parts as well as being an excellent sealant against moisture. Ideal for use on rubber seals and many other exterior applications.

BENEFITS:

- Effective moisture resistance
- Preserves rubber components
- Clear formulation
- Good electrical insulating properties
- Can be used for parts assembly and disassembly
- 80°C Continuous – 150°C Intermittent

PRODUCT CODE

SIZE

R230

400ml



Super Lube Extreme Pressure

TYGRIS R232 is a lubricant with excellent penetrating properties. De-waters, lubricates, releases and protects.

BENEFITS:

- Extreme pressure additives
- 60°C Continuous – 80°C Intermittent
- De-watering additives
- Effective penetration and release
- Contains corrosion inhibitors

PRODUCT CODE

SIZE

R232

400ml



Aluminium Anti-Seize

TYGRIS R233 is a high temperature multi purpose blend of heat stable lubricant and anti-seize compound used in a wide range of automotive, industrial, marine and construction applications, helping to eliminate seizure, pitting and rusting of components exposed to heat. Use on threaded components, flanges, chains and locks to facilitate in future dismantling.

BENEFITS:

- Assists in easy dismantling of threaded parts
- Effective lubrication at ambient temperatures
- High temperature resistance to melting
- Use also on flanges, chains and locks
- Facilitates easy re-use of dismantled components
- Temp. range: -30°C to +275°C
- Prevention of seizure

PRODUCT CODE

SIZE

R233

400ml



Copper Anti-Seize Advanced

TYGRIS R234 is a high temperature lubricant providing outstanding overall metal protection against heat, rust, seizure and corrosion. Resistance to water and acids is high and it will not burn off under extreme stress. For use on threaded components, pins, valve stems in a range of materials including austenitic stainless steel. Used on brake callipers and the back of brake pads it will help eliminate brake squeal.

BENEFITS:

- Effective up to 1100°C
- Water and acid resistant
- Use on a wide range of metals
- Prevents seizure of threaded parts
- Will not burn or wash off
- Eliminates brake squeal
- Assists in assembly and disassembly of components

PRODUCT CODE

SIZE

R234

400ml



Leak Detector

TYGRIS R236 is an inoffensive, non-corrosive foam used in the inspection of pipework to prevent leaks passing unnoticed with potentially dangerous effects. It will detect any leaks instantly and is harmless to most materials as well as being safe to use with most gases.

BENEFITS:

- Non-flammable water based
- Completely inert
- Will detect the smallest leaks
- Will not form combustible mixture with other gases
- Can be used with oxy-acetylene and LPG gases
- Non-corrosive
- Nitrogen propellant
- Easily removed – completely water soluble
- Temp. range: -20°C to +200°C
- Conforms to BS EN ISO 14921 EU Regulations for use in Department of Transport testing stations

PRODUCT CODE

SIZE

R236

300ml



PTFE Dry Film Lubricant

TYGRIS R237 is an effective dry film non-staining lubricant for use where wet oils would be undesirable. For use in the assembly of metal components and the lubrication of machine slides, cams and cutting shears in engineering applications.

BENEFITS:

- PTFE dry film for very low friction
- Durable coating
- Non-toxic – completely inert
- Anti-static
- High working temperature up to 275°C
- Withstands low temperatures
- Water and chemical resistant
- Rapid drying
- Non-greasy dry film – does not attract dirt.

PRODUCT CODE

SIZE

R237

400ml



Wax Chain Lube

TYGRIS R273 is a high performance lubricant particularly suited for motorcycle chains. It protects against corrosion and wear and its tenacious formulation forms a water-resistant film which is easy to apply and gives long-lasting protection. The lubricant is sprayed in a semi-liquid form, thereby penetrating the chain links and subsequently thickens to a waxy consistency which is not sticky. This ensures that road dirt does not adhere, reducing wear dramatically when compared to polymer chain lubricants.

BENEFITS:

- Highly tenacious-resistant to flinging off
- Protects against rust and wear
- Resistant to adherence of dirt
- Penetrates easily, then thickens
- Water resistant

PRODUCT CODE

SIZE

R273

400ml



Seize Release Penetrating Oil

TYGRIS R275 Seize Release is an advanced formulation of Penetrating Oil with a shock freeze action which rapidly freezes seized components, causing micro-cracks in rust layers, and allowing rapid penetration of the lubricant.

BENEFITS:

- Tested to -31°C creating a shock effect, allowing active lubricant to penetrate
- Reduces costs through time saving
- 360° Spray system for all angle use
- Does not contain silicones
- Safe for use on most materials

PRODUCT CODE

SIZE

R275

400ml



Protecting & Finishing

Getting the best possible finished product is never easier than with TYGRIS. Our range of protecting and finishing products allows for a professional grade look, that helps guard against corrosion and moisture.



Stripline Marking Paint

TYGRIS Line Marker is a solvent based paint used for applying semi-permanent markings to most hard surfaces, inside or outside. Used inverted with a hand held or wheeled applicator, this paint is rapid drying and has good resistance to abrasion and chemicals. Available in 7 colours for safety and legal purposes.

BENEFITS:

- Easy to apply by hand or applicator
- Fast drying
- Lead and xylene free
- High opacity
- Anti-clogging nozzle
- UV-stable
- Excellent abrasion and chemical resistance
- Compatible with most applicators
- 7 colours available

BLUE

PRODUCT CODE	SIZE
LMBE	750ml

BLACK

PRODUCT CODE	SIZE
LMBK	750ml

GREEN

PRODUCT CODE	SIZE
LMGN	750ml

ORANGE

PRODUCT CODE	SIZE
LMOE	750ml

RED

PRODUCT CODE	SIZE
LMRD	750ml

WHITE

PRODUCT CODE	SIZE
LMW	750ml

YELLOW

PRODUCT CODE	SIZE
LMY	750ml



Matt Black Paint RAL9005

TYGRIS Acrylic-based top-coat paints and primers can be used for a professional finish on most substrates with exceptional ease of use, resulting in a high quality appearance.

BENEFITS:

- Acrylic formulation for greater flexibility
- Compatible with most materials
- Can be applied over previously painted surfaces
- Gives excellent adhesion
- High opacity
- Lead Free
- Excellent UV stability

PRODUCT CODE

SIZE

P300

400ml



Satin Black Paint RAL9005

TYGRIS Acrylic-based top-coat paints and primers can be used for a professional finish on most substrates with exceptional ease of use, resulting in a high quality appearance.

BENEFITS:

- Acrylic formulation for greater flexibility
- Compatible with most materials
- Can be applied over previously painted surfaces
- Gives excellent adhesion
- High opacity
- Lead Free
- Excellent UV stability

PRODUCT CODE

SIZE

P301

400ml



Gloss Black Paint RAL9005

TYGRIS Acrylic-based top-coat paints and primers can be used for a professional finish on most substrates with exceptional ease of use, resulting in a high quality appearance.

BENEFITS:

- Acrylic formulation for greater flexibility
- Compatible with most materials
- Can be applied over previously painted surfaces
- Gives excellent adhesion
- High opacity
- Lead Free
- Excellent UV stability

PRODUCT CODE

SIZE

P302

400ml



Grey Primer Paint

TYGRIS Acrylic-based top-coat paints and primers can be used for a professional finish on most substrates with exceptional ease of use, resulting in a high quality appearance.

BENEFITS:

- Acrylic formulation for greater flexibility
- Compatible with most materials
- Can be applied over previously painted surfaces
- Gives excellent adhesion
- High opacity
- Lead Free
- Excellent UV stability

PRODUCT CODE

SIZE

P303

400ml



White Primer Paint

TYGRIS Acrylic-based top-coat paints and primers can be used for a professional finish on most substrates with exceptional ease of use, resulting in a high quality appearance.

BENEFITS:

- Acrylic formulation for greater flexibility
- Compatible with most materials
- Can be applied over previously painted surfaces
- Gives excellent adhesion
- High opacity
- Lead Free
- Excellent UV stability

PRODUCT CODE

SIZE

P304

400ml



Red Primer Paint

TYGRIS Acrylic-based top-coat paints and primers can be used for a professional finish on most substrates with exceptional ease of use, resulting in a high quality appearance.

BENEFITS:

- Acrylic formulation for greater flexibility
- Compatible with most materials
- Can be applied over previously painted surfaces
- Gives excellent adhesion
- High opacity
- Lead Free
- Excellent UV stability

PRODUCT CODE

SIZE

P305

400ml



Gloss White Paint RAL9010

TYGRIS Acrylic-based top-coat paints and primers can be used for a professional finish on most substrates with exceptional ease of use, resulting in a high quality appearance.

BENEFITS:

- Acrylic formulation for greater flexibility
- Compatible with most materials
- Can be applied over previously painted surfaces
- Gives excellent adhesion
- High opacity
- Lead Free
- Excellent UV stability

PRODUCT CODE

SIZE

P306

400ml



Bright Silver Paint RAL9006

TYGRIS Acrylic-based top-coat paints and primers can be used for a professional finish on most substrates with exceptional ease of use, resulting in a high quality appearance.

BENEFITS:

- Acrylic formulation for greater flexibility
- Compatible with most materials
- Can be applied over previously painted surfaces
- Gives excellent adhesion
- High opacity
- Lead Free
- Excellent UV stability

PRODUCT CODE

SIZE

P307

400ml



Black Primer Paint

TYGRIS Acrylic-based paint and primer can be used for a professional finish on most substrates with exceptional ease of use, resulting in a high quality appearance.

BENEFITS:

- Acrylic formulation for greater flexibility
- Compatible with most materials
- Can be applied over previously painted surfaces
- Gives excellent adhesion
- High opacity
- Lead Free
- Excellent UV stability

PRODUCT CODE

SIZE

P308

400ml



Self Etching Primer Grey

TYGRIS P309 is an acrylic-based paint designed to prepare clean bare metal surfaces, aluminium and fibreglass for a topcoat finish. Specially formulated with inhibitors for effective corrosion prevention, and provides optimum adhesion to bare substrates.

BENEFITS:

- Acrylic formulation for greater flexibility
- Compatible with most materials
- Can be applied over previously painted surfaces
- Gives excellent adhesion
- High opacity
- Lead Free
- Excellent UV stability

PRODUCT CODE

SIZE

P309

400ml



Gloss Blue Paint RAL5010

TYGRIS Acrylic-based top-coat paints and primers can be used for a professional finish on most substrates with exceptional ease of use, resulting in a high quality appearance.

BENEFITS:

- Acrylic formulation for greater flexibility
- Compatible with most materials
- Can be applied over previously painted surfaces
- Gives excellent adhesion
- High opacity
- Lead Free
- Excellent UV stability

PRODUCT CODE

SIZE

P310

400ml



Gloss Green Paint RAL6001

TYGRIS Acrylic-based top-coat paints and primers can be used for a professional finish on most substrates with exceptional ease of use, resulting in a high quality appearance.

BENEFITS:

- Acrylic formulation for greater flexibility
- Compatible with most materials
- Can be applied over previously painted surfaces
- Gives excellent adhesion
- High opacity
- Lead Free
- Excellent UV stability

PRODUCT CODE

SIZE

P311

400ml



Gloss Red Paint RAL3000

TYGRIS Acrylic-based top-coat paints and primers can be used for a professional finish on most substrates with exceptional ease of use, resulting in a high quality appearance.

BENEFITS:

- Acrylic formulation for greater flexibility
- Compatible with most materials
- Can be applied over previously painted surfaces
- Gives excellent adhesion
- High opacity
- Lead Free
- Excellent UV stability

PRODUCT CODE

SIZE

P312

400ml



Gloss Yellow Paint RAL1007

TYGRIS Acrylic-based top-coat paints and primers can be used for a professional finish on most substrates with exceptional ease of use, resulting in a high quality appearance.

BENEFITS:

- Acrylic formulation for greater flexibility
- Compatible with most materials
- Can be applied over previously painted surfaces
- Gives excellent adhesion
- High opacity
- Lead Free
- Excellent UV stability

PRODUCT CODE

SIZE

P313

400ml



Gloss Orange Paint RAL2004

TYGRIS Acrylic-based top-coat paints and primers can be used for a professional finish on most substrates with exceptional ease of use, resulting in a high quality appearance.

BENEFITS:

- Acrylic formulation for greater flexibility
- Gives excellent adhesion
- Compatible with most materials
- Can be applied over previously painted surfaces
- High opacity
- Lead Free
- Excellent UV stability

PRODUCT CODE

SIZE

P314

400ml



Gloss Dark Green Paint RAL6005

TYGRIS Acrylic-based top-coat paints and primers can be used for a professional finish on most substrates with exceptional ease of use, resulting in a high quality appearance.

BENEFITS:

- Acrylic formulation for greater flexibility
- Gives excellent adhesion
- Compatible with most materials
- Can be applied over previously painted surfaces
- High opacity
- Lead Free
- Excellent UV stability

PRODUCT CODE

SIZE

P315

400ml



Black High Temperature Paint

TYGRIS P330 has a safe working temperature of 650°C and when applied as directed, requires no primer. This high-quality paint is suitable for use on engine blocks, exhaust manifolds, brake drums, wood burning stoves, boiler flue pipes and in many other instances. Based on a silicone modified alkyd, when cured, the resins burn off leaving a heat resistant silicone matrix.

BENEFITS:

- Very high temperature resistance
- No primer required
- Touch dry within 30 minutes

PRODUCT CODE

SIZE

P330

400ml



Heavy Duty Adhesive

TYGRIS R210 is an easy to use adhesive for bonding most surfaces, including textile, foam, rubber, plastic, foil, cardboard and paper. Good for fixing down carpets, underlay and floor tiles. In a non-chlorinated form for maximum safety.

BENEFITS:

- Fast drying
- Bonds most surfaces
- High strength bond

PRODUCT CODE

SIZE

R210

500ml



Bright Zinc Galve Spray

TYGRIS R224 is a bright zinc and aluminium powder based spray used for the cosmetic finishing and protection of previously galvanised surfaces where the component has been cut or welded, thereby exposing metal to the air. Zinc is a sacrificial metal and will prevent oxidation and corrosion. Resins in the coating cause it to bond firmly to the substrate.

BENEFITS:

- Zinc content assists in corrosion prevention
- Resistant to salt spray and weathering
- Excellent heat resistance
- Aluminium powder gives a brighter finish to help blend with existing coatings
- Can be used on previously coated surfaces
- High purity powders
- Excellent adhesion
- Quick drying
- 150°C Continuous – 400°C Intermittent

PRODUCT CODE

SIZE

R224

400ml



Heavy Duty Zinc Galve Spray

TYGRIS R239 is a high quality zinc spray providing active metal protection against corrosion and an excellent primer coat. The sacrificial properties of zinc contribute to an effective defence against oxidation should the coating become damaged. Zinc Galvanising Spray can be used both on bare metal and previously galvanised surfaces, and is suitable for spraying onto acrylic or cellulose paints (not alkyd). It may be over-coated with acrylic, alkyd, p/u alkyd and epoxy.

BENEFITS:

- High zinc content for maximum corrosion prevention, including salt spray
- Zinc powder in the product is of high purity
- Can be used on previously coated surfaces
- Can be over-coated

PRODUCT CODE

SIZE

R239

400ml



Battery Terminal Protector

TYGRIS Battery Terminal Protector is an easily applied fine film spray which protects battery terminals by sealing them from air and moisture, prolonging battery life and increasing its efficiency. Corrosive deposits are prevented from building up and the coating contains a pH indicator to detect the incidence of leaks.

BENEFITS:

- Easily applied spray
- Protects battery terminals from deterioration
- Prolongs battery life
- Increases starting efficiency
- pH indicator dye detects battery acid leakage and turns from orange to red
- Dries to a thick non-slumping grease
- Water repellent

PRODUCT CODE

SIZE

R204

400ml



Clear Acrylic Lacquer

TYGRIS R242 is a fast drying coating used to protect against mild acids, alkalis and general weathering. For sealing and protecting electronics, metal, wood, and paper documents, leaving a smooth, transparent, scratch resistant film with good durability and toughness.

BENEFITS:

- Fast drying
- Excellent resistance to weathering and sunlight
- High resistance to mild acids and alkalis
- Touch and scratch resistant
- Good resistance to water and salt spray
- Easy to apply
- Max. Temp. 50°C

PRODUCT CODE

SIZE

R242

400ml



PRECISION Clear Mould Protector

TYGRIS IS60 is a clear Metal Protector, used for the protection of moulds and tools, leaving a clear, invisible film which is easy to remove or mould off. Used extensively in the plastic moulding industry it is non-staining and an efficient de-watering agent.

BENEFITS:

- Removes water from the surface of all metals
- Clear, invisible film
- Non-staining
- Thin coating – easily removed or moulded off
- Up to 2 years inside storage protection

PRODUCT CODE

SIZE

IS60

400ml



PRECISION Green Mould Protector

TYGRIS IS70 is an effective moisture displacement, formulated to provide an ultra-thin green film for protection from corrosion of moulds and tooling whilst in store. Used extensively in the plastic moulding industry. Easy to clean or mould off.

BENEFITS:

- Suitable for use on all metals
- De-watering capability
- Protects from oxidation and rusting
- Ultra-fine film does not interfere with precision-fit parts or with gauging and measurement
- Green colour to show treated parts
- Resists creeping into ejector pins
- Moulds off quickly

PRODUCT CODE

SIZE

IS70

400ml



**DEVELOPED
TO CLEAN
TOUGH STUFF!**

Used by professionals in all trades!

Specifically developed for use where the removal
of grease and grime is an everyday challenge.



CONTACT US
01294 311066

TYGRISINDUSTRIAL.COM

Specifically developed for use where the removal
of grease and grime is an everyday challenge.





Speciality Lubricants

Sometimes you need something a little more refined to get the job done right, and our range of specialty lubricants offer just that! Designed to work under the most demanding conditions, and with high quality performance enhancing additives, there's nothing these lubricants can't handle.

SILIXIS+

TYGRIS TG6301 is a high performance, wide temperature, non-toxic lubricant for bearings, plastics and rubber parts under light to moderate loads. This special silicone oil based, lithium complex-thickened grease is used in rubber and o-ring assembly and to lubricate ball bearings in electric motors, fans (refrigeration, oven, preheater) dryers and conveyor systems.

BENEFITS:

- Formulated to provide long service life in high temperature bearings, with extended relubrication intervals
- Reduced carbon deposits compared to conventional high temperature bearing greases
- Chemical, moisture and oxidation resistant
- Compatible with most plastics and rubber components
- Temperature Range: -40°C to +180°C

PRODUCT CODE

SIZE

TG6301

1 Kg



Corrosion Guard Grease

TYGRIS TG6804 is a soft grease designed specifically to prevent corrosion or rusting of exposed ferrous metal in all weather. TG6804 contains high quality corrosion inhibitors which make it particularly useful in extremes of climatic conditions, and will protect against corrosion during outdoor storage in hostile environments. It may be applied readily by a stiff brush but when in place it sets to a soft greasy film which will not melt or run off at high temperatures.

BENEFITS:

- Outdoor protection up to 12 months
- Indoor protection for at least 2 years
- Resistant to high temperature melting and runoff
- Easy to remove when required with a suitable de-greasing fluid
- Compatible with most lubricating grease (except Bentone greases)

PRODUCT CODE

SIZE

TG6804

400g



WR2 Calcium Grease

TYGRIS WR2 Calcium Grease is a premium quality, water resistant grease for use in industrial and marine applications where the presence of water and humid atmospheres can effect lubricating performance and be detrimental to the protection of parts from corrosion. Suitable for plain and anti-friction bearings.

BENEFITS:

- High degree of water resistance
- Excellent corrosion protection
- Good sealing properties
- Temperature Range: -20 to 110°C

PRODUCT CODE

SIZE

TG7204

400g

TG7205

500g

TG7212

12.5Kg





High Speed Grease 2

TYGRIS TG7304 is a premium grade lubricant specifically designed for very high speed anti-friction bearings. Suitable for applications in the textile spinning industry; for high speed spindles on CNC machines and wood turning equipment. TYGRIS High Speed Grease 2 can, in many cases, replace oil mist lubrication systems, thus providing a cleaner and more economical method of lubrication.

BENEFITS:

- Withstanding extremely high speeds, the grease stays in place and therefore prolongs lubrication intervals
- Corrosion inhibitors protect components operating in very humid environments
- Anti-wear properties provide protection against premature wear
- Temperature Range: -60 °C to 130 °C

PRODUCT CODE

SIZE

TG7304

400g

Heavy Duty Open Gear Grease



TYGRIS TG7712 is a special soap complex thickened grease combining extreme pressure additives, antioxidants and corrosion inhibitors, to provide highly effective lubrication with excellent corrosion prevention. Specially developed for the lubrication of all types and sizes of open gears, including spur, helical and bevel drive gears that are subjected to extreme loads, high working temperatures and water saturated conditions. Also suitable for the lubrication of hydraulic hammers and booms.

BENEFITS:

- Easy to apply in all weathers – can be applied to wet surfaces
- Bitumen free
- Withstands pressures up to 7,000kg/cm² (100,000 psi) which reduces wear
- Long lasting, almost dry, lubricating film does not collect dust and dirt
- Does not drip or fling off. Maintains a clean surrounding work area.
- Temperature Range: -30 to 140°C

PRODUCT CODE

SIZE

TG7712

12.5 kg

Biodegradable Rope Lubricant 00



TYGRIS TG7818 is a biodegradable, solvent free, semi-fluid wire rope lubricant designed to meet the lubrication and corrosion prevention requirements of wire ropes working under all conditions. Typical application areas are dockside cranes, draglines, water treatment and situations where a biodegradable lubricant is preferred for environmental reasons. TG7818 biodegrades naturally, providing a more environmentally friendly solution when compared to conventional rope lubricants.

BENEFITS:

- Biodegradable – environmentally acceptable
- Excellent protection internally and externally extending rope service life
- Molybdenum disulphide reduces wear between strands
- Water repellent – extends service intervals
- Thin film eliminates fling off and does not attract dirt
- Significant application coverage, economic use

PRODUCT CODE

SIZE

TG7818

18 Kg

Silicone Oil 100



TYGRIS TB7825 provides a non-toxic, non-carbonising, mould release for rubber, plastics and metal die-castings, anti-foam agent. Very small quantities of the fluid are very effective as a foam control agent especially in non-aqueous systems. The very high viscosity index coupled with thermal and chemical stability, shear-breakdown resistance and rubber compatibility, makes this fluid ideal for mechanical and hydraulic uses, and provides excellent lubrication for most plastic and elastomeric surfaces.

BENEFITS:

- Minimal change in physical properties over a wide temperature range, remaining thermally stable at 150°C for extended time intervals
- Low surface tension
- The fluid readily wets clean surfaces to impart water repellency and release characteristics

PRODUCT CODE

SIZE

TB7825

25 Kg

High Temp Grease 2

TYGRIS High Temp Grease 2 is a premium quality lithium complex thickened grease for use in plain and anti-friction bearing surfaces in high temperature applications over long periods of time without leaving a dry residue. Providing excellent lubrication also at sub-zero and ambient temperatures, this is an extremely versatile grease.

BENEFITS:

- High temperature resistance with extended lubrication intervals
- Reduces carbon deposits at high temperatures
- Extreme pressure additives and PTFE for long component life
- Excellent corrosion and humidity resistance
- Temperature range -50°C to +220°C

PRODUCT CODE

SIZE

TG8504

400g

TG8530

3 Kg



Silicone Valve Seal

TYGRIS TG8630 is a WRAS-approved silicone compound for the lubrication of valves and stopcocks in gas and water systems over a wide temperature range. It is resistant to many organic chemicals, hot and cold water, low pressure steam and many gases. It also provides lubrication and protection for O-rings.

BENEFITS:

- Resistant to a wide range of different chemicals
- Due to thixotropic nature the compound thickens up after movement to ensure excellent sealing properties
- Protects components from corrosion and seizure
- Temperature range -40°C to +200°C

PRODUCT CODE

SIZE

TG8630

3 Kg



AquaLoad SVR

TYGRIS TG6404 is a premium quality grease containing a unique blend of corrosion and oxidation inhibitors, extreme pressure and anti-wear additives. Ideal for use in all anti-friction and plain bearings subjected to high levels of shock and vibration, heavy loads and humid conditions. TYGRIS TG6404 is a premium quality grease containing a unique blend of corrosion and oxidation inhibitors, extreme pressure and anti-wear additives. Ideal for use in all anti-friction and plain bearings subjected to high levels of shock and vibration, heavy loads and humid conditions.

BENEFITS:

- Outstanding shock, vibration resistance
- Ideal for high load applications
- Tenacious EP film offers resistance to water wash-off and effective corrosion prevention
- Good mechanical and oxidation stability
- Effective in humid conditions
- Temperature range -20°C to +140°C

PRODUCT CODE

SIZE

TG6404

400g





Very High Temp Grease 2

TYGRIS Very High Temp Grease 2 is an industrial, extreme temperature, medium consistency grease for use at temperatures of up to 600°C in applications such as oven and kiln car bearings and in furnace door and drying tunnel mechanisms. At very high temperatures, the synthetic based liquid phase evaporates, leaving a dispersion of graphite particles to reduce wear without leaving abrasive carbon ash deposits.

BENEFITS:

- No carbonisation at high temperatures
- Extends component life at high temperatures
- Graphite lubricating film reduces wear
- Synthetic fluid evaporates cleanly
- Classified as non hazardous

PRODUCT CODE	SIZE
TG8704	400g
TG8730	3 Kg

Wire Rope Grease 00

TYGRIS TG9112 is a semi-fluid grease designed to meet the extreme lubrication and corrosion prevention requirements of wire ropes working under extreme conditions. TG9112 penetrates between the rope strands to provide integral lubrication and also internal and external protection against corrosion caused by moisture, adverse weather conditions and sea water.

BENEFITS:

- Solid lubricant reduces wear between the strands of the rope
- Water resistant film ensures long film life extending lubrication intervals
- Thin film eliminates product accumulation and does not collect abrasive particles
- Ropes are clean to handle and allow easy inspection
- Significant application coverage – economic to use
- Temperature range -20°C to +120°C

PRODUCT CODE	SIZE
TG9112	12.5 Kg





Water Resistant Hub Grease

TYGRIS TG9805 is a high performance, water resistant, hub grease with extreme water wash off resistance, high load bearing and anti-corrosion capabilities, which help extend relubrication periods and reduce maintenance costs. Designed for the use on trailer hubs and other areas where exposure to severe elements can cause premature wear.

BENEFITS:

- Extends lubrication intervals ensuring maximum cost savings in grease consumption
- Very high water resistance and corrosion prevention
- Excellent EP performance provides protection against premature wear
- Temperature range -30°C to +150°C (continuous), 200°C (intermittent)

PRODUCT CODE

SIZE

TG9805

500g

Calcium Sulphonate Grease

TYGRIS Calcium Sulphonate Grease is a superior grade, extremely stable, lubricant with exceptional load carrying capacity, designed to extend relubrication intervals in a wide range of applications including those in extreme working conditions. Suitable for use in all types of anti-friction, plain bearings and sliding surfaces.

BENEFITS:

- Extends lubrication intervals ensuring maximum cost savings in grease consumption
- Exceptional water resistance and corrosion prevention
- Excellent EP performance provides protection against premature wear
- Temperature range -30°C to +150°C (continuous), 200°C (intermittent)

PRODUCT CODE

SIZE

TG9804

400g

TG9818

18 Kg



A hand is shown holding a spray can of industrial lubricant, with a fine mist being directed towards a mechanical component. The background is dark and out of focus, emphasizing the action of lubrication. The spray can has a red nozzle and a black body with white text. The mechanical part being sprayed is a circular metal flange with several bolts.

Industrial Lubricants

Tackle any job that comes your way, with our selection of high performance industrial lubricants. Specially developed to fight corrosion with fast penetrating action, these lubricants do the heavy lifting when it comes to protecting your components.

Protects Against
Corrosion For
Up To 2 Years
In Storage



Lithium Pin & Bush Advanced

TYGRIS Lithium Pin & Bush Advanced is a tenacious grease designed for heavy duty applications where adhesion, shock loading and good corrosion protection is required. It has been proven ideal for use on bucket pins on heavy earth moving equipment, fifth wheels, crane slews, and also as an assembly and running in compound.

BENEFITS:

- A high level of lubricating solids keeps working surfaces apart and substantially extends component life
- Fully water resistant to extend the life of the lubricant and protect components from corrosion
- Adhesive properties provide increased lasting protection

PRODUCT CODE	SIZE
TG6004	400g
TG6012	12.5 Kg



Penetrating Oil

TYGRIS TB6205 is a fast acting and efficient agent for the freeing of components that have become 'frozen' as the result of rust or corrosion. It is a combination of highly effective wetting and penetrating agents with solvents and low viscosity lubricating oil.

BENEFITS:

- Rapidly penetrates the finest clearances and cuts through rust and corrosion
- If a drop of the fluid is placed on a rusted surface the penetration and spreading, even in a vertical direction, will be observed immediately
- The fluid will readily free nuts, bolts, screws, locks, hinges and all threaded joints
- Anything that resists the action of a spanner or screwdriver should be treated with P & R Fluid, and left for a few minutes to allow penetration after which it can be readily released

PRODUCT CODE	SIZE
TB6205	5 Litre



Lithium Grease L2

TYGRIS TG7550 is a premium quality general purpose grease for use in all anti-friction and plain bearings subjected to high load conditions. The incorporation of oxidation and rust inhibitors provides good corrosion protection and long life. Used extensively for applications throughout industry and the automotive sector.

BENEFITS:

- High degree of corrosion protection
- Highly versatile general purpose grease
- Temperature range -20°C to +120°C

PRODUCT CODE	SIZE
TG7550	50 Kg



Lithium Moly Grease 2

TYGRIS Lithium Moly Grease is a specially developed lithium complex grease, fortified with molybdenum disulphide (MoS₂) solid film lubricant for applications where the grease is required to cope with more arduous conditions, such as high loads, shock loading, wet and temperature extremes. Lithium moly grease is designed for plain as well as anti-friction bearings.

BENEFITS:

- Exceptional mechanical stability extends re-lubrication intervals
- Good oxidation stability provides lasting lubrication at high temperatures
- High degree of corrosion resistance protects components operating in wet conditions
- Extreme load carrying and impact resistance properties prolongs component life
- Temperature range -20°C to +150°C (continuous), 180°C (intermittent)

PRODUCT CODE	SIZE
TG8304	400g
TG8312	12.5 kg



White Lithium Grease

TYGRIS TG8430W is a high quality multi-purpose white grease enhanced with a specially selected water repellent additive for use in applications requiring extreme water resistance. Used extensively for applications throughout industry, marine and the automotive sector; in anti-friction and plain bearings, and pumping equipment where ingress of water can be detrimental to lubrication.

BENEFITS:

- Versatile multi purpose grease
- Excellent water resistance
- Excellent corrosion protection
- Good sealing properties
- Temperature range -20°C to +140°C

PRODUCT CODE SIZE

TG8430W	3 Kg
---------	------

Lithium Grease EP2

TYGRIS Lithium Grease EP2 is a premium quality multi-purpose grease for use in all anti-friction and plain bearings subject to high load conditions. Used extensively for applications throughout industry and the automotive sector.

BENEFITS:

- Excellent extreme pressure and anti-wear performance
- High degree of corrosion protection
- Highly versatile multi-purpose grease
- Temperature range -10°C to +140°C

PRODUCT CODE SIZE

TG8404	400g
TG8405	500g
TG8430	3 Kg
TG8412	12.5 Kg
TG8418	18 Kg
TG8450	50 Kg
TG8499	180 Kg





Lithium Grease EP3

TYGRIS Lithium Grease EP3 is a premium quality multi-purpose grease for use in all anti-friction and plain bearings subjected to high load conditions. The incorporation of extreme pressure and anti-wear additives provides a high degree of wear protection against load. Used extensively for applications throughout industry and the automotive sector.

BENEFITS:

- Excellent extreme pressure and anti-wear performance
- Highly versatile multi-purpose grease
- High degree of corrosion protection
- Temperature range -20°C to +140°C

PRODUCT CODE	SIZE
TG8804	400g
TG8812	12.5 Kg

Blue Lithium Complex Grease

TYGRIS Blue Lithium Complex Grease is a specially developed multi-purpose lithium complex grease for lubricating all types of anti-friction and plain bearings in industrial and automotive applications. This grease is highly effective at providing extended lubrication intervals over a wide operating temperature range. Extensively used in plant and machinery applications.

BENEFITS:

- Excellent oxidation stability provides lasting lubrication at high temperatures
- High corrosion resistance protects components operating in wet conditions
- Excellent EP and anti-wear performance
- Temperature range -10°C to +140°C

PRODUCT CODE	SIZE
TG8904	400g
TG8905	500g
TG8912	12.5Kg
TG8918	18Kg
TG8950	50Kg
TG8999	180Kg





Red Lithium Complex Grease

TYGRIS Red Lithium Complex Grease is a specially developed multi-purpose lithium complex grease for lubricating all types of anti-friction and plain bearings in industrial and automotive applications. This grease is highly effective at providing extended lubrication intervals over a wide operating temperature range.

BENEFITS:

- Exceptional mechanical stability extends lubrication intervals
- Excellent oxidation stability provides lasting lubrication at high temperatures
- Excellent extreme pressure and anti-wear performance
- High corrosion resistance protects components operating in wet conditions
- Temperature range -10°C to +140°C

PRODUCT CODE	SIZE
TG9004	400g
TG9012	12.5 Kg
TG9018	18Kg
TG9050	50Kg
TG9099	180 Kg



Lithium Grease EPO

TYGRIS Lithium Grease is a premium quality multi-purpose semi fluid grease for use in all anti-friction and plain bearings subjected to high load conditions. The incorporation of extreme pressure and anti-wear additives imparts a high degree of wear protection against load. Used extensively for applications throughout industry and the automotive sector.

BENEFITS:

- Excellent extreme pressure and anti-wear performance
- High degree of corrosion protection
- Highly versatile multi-purpose grease
- Excellent pump-ability for centralised lubrication systems
- Temperature range -20°C to +140°C

PRODUCT CODE	SIZE
TG9212	12.5 Kg



Lithium Grease EP00

TYGRIS Lithium Grease is a premium quality multi-purpose semi fluid grease for use in all anti-friction and plain bearings subjected to high load conditions. The incorporation of extreme pressure and anti-wear additives imparts a high degree of wear protection against load. Used extensively for applications throughout industry and the automotive sector.

BENEFITS:

- Exceptional mechanical stability extends lubrication intervals
- Excellent oxidation stability provides lasting lubrication at high temperatures
- Excellent extreme pressure and anti-wear performance
- High corrosion resistance protects components operating in wet conditions

PRODUCT CODE

SIZE

TG9330	3 Kg
TG9312	12.5 Kg



Lithium Grease EP000

TYGRIS Lithium Grease is a premium quality multi-purpose semi fluid grease for use in all anti-friction and plain bearings subjected to high load conditions. The incorporation of extreme pressure and anti-wear additives imparts a high degree of wear protection against load. Used extensively for applications throughout industry and the automotive sector.

BENEFITS:

- Exceptional mechanical stability extends lubrication intervals
- Excellent oxidation stability provides lasting lubrication at high temperatures
- Excellent extreme pressure and anti-wear performance
- High corrosion resistance protects components operating in wet conditions

PRODUCT CODE

SIZE

TG9412	12.5 Kg
--------	---------

NEED OIL?

CONTACT US
01294 311066

TYGRISINDUSTRIAL.COM





TYGRIS

TYGRIS



TYGRIS

WD ANTI-RUST FLUID

Metal protection
for medium term
indoor storage

INDUSTRIAL
TB6105

Description: TYGRIS WD Anti-Rust Fluid is a solvent deposited, water displacing, light grease film corrosion preventive. It gives medium to short-term protection on ferrous and aluminium alloy components and is particularly suited to in-ship protection after machining operations. It contains a solvent carrier of low odour and high flashpoint for operator acceptability and safety.

Directions for use: Apply by spraying liberally to components and allow to dry. Due to the high flash point, evaporation to residue may be in excess of 2 hours depending on ambient conditions.

Health & Safety Information: Danger. Repeated exposure may cause skin dryness or cracking. May be fatal if swallowed and enters airways. Wear protective gloves/protective clothing/eye protection/face protection. If SWALLOWED: Immediately call a first aider. Do NOT induce vomiting. Store locked up. Dispose of contents/container to hazardous or special waste collection point.

*Lifetime (4 life) guarantee.
Visit tygrisindustrial.com for more information.



5 Litre



TYGRIS
TY205 112, 31 Ryle Rd,
Irvine KA12 8LE T 01234 31006



TYGRIS
GRAPHITED
PENETRATING OIL

INDUSTRIAL
R209



Reinforced
variant for
harsh conditions



Metal Working & Fabrication

Developed especially for industry, our range of TYGRIS metal working products are reinforced with properties that make them the best out there, extending tool life and improving surface finish. Whether you want to stop weld spatter in its tracks or protect metals, we have what you need.



Metal Working Paste

TYGRIS T500 is a soft paste which has been reinforced with the most effective extreme pressure additives to give high film strength and anti-weld properties which are essential to counter the pressure developed during metal working. It can be used with hard metals to reduce heat and improve the dimensional stability of the surface finish. Designed for cutting, tapping, drilling, reaming, drawing, pressing, extruding and forming.

BENEFITS:

- Effective on stainless steel and light alloys
- Extreme pressure additives
- Extends tool life
- Fortified with molybdenum
- Improves surface finish
- Greater dimensional accuracy
- Non hazardous

PRODUCT CODE	SIZE
--------------	------

T500	450 g
------	-------

Metal Working Fluid

TYGRIS Metal Working Fluid is an organic oil which has been reinforced with the most effective extreme pressure additives to give high film strength and anti-weld properties which are essential to counter the pressure developed during metal working. It can be used with hard metals to reduce heat and improve the dimensional stability of the surface finish. Designed for forming, cutting, tapping, drilling, reaming, drawing, pressing and extruding.

BENEFITS:

- Effective on stainless steel and light alloys
- Extreme pressure additives
- Extends tool life
- Fortified with molybdenum
- Improves surface finish
- Greater dimensional accuracy
- Non hazardous

PRODUCT CODE	SIZE
--------------	------

T510	350 ml
T515	5 Litre





Anti-Corrosion Fluids

Need to take control of corrosion? Here at TYGRIS we provide innovative solutions that improve component performance, and our selection of anti-corrosion fluids gives you the ultimate protection.



Atmotec 50

TYGRIS TB5105 gives medium to short-term protection on ferrous or aluminium alloy components, sheets and tubes and is particularly suited for inter-shop protection after machining or washing operations and any indoor short term storage. This very light oil almost dry film gives excellent rust inhibition and water protection. Ideal for the storage of components and machinery. Easily washes off with hot soapy water if required.

BENEFITS:

- Effective for up to 2 years
- Very good coverage
- Very clean to use
- Doesn't need to be cleaned off prior to coating

PRODUCT CODE

SIZE

TB5105

5 Litre



WD Anti-Rust Fluid

TYGRIS TB6105 is a stable solution containing sophisticated chemicals and petroleum derivatives together with lanolin, which is an excellent protective and lubricant. TB6105 does not contain silicones.

BENEFITS:

- Water displacement efficiency due to surfactants which have a greater affinity to water than metallic and non-metallic surfaces
- Excellent de-watering properties
- Light film - no need to clean before assembly
- Contains finger print suppressant
- Low odour
- Covering Capacity 30sqm/litre

PRODUCT CODE

SIZE

TB6105

5 Litre

A close-up photograph of a heavily rusted metal bolt and nut. The bolt is in the foreground, and the nut is slightly behind it. The rust is a dark, flaky brown color, covering most of the metal surfaces. The background is blurred, showing more of the same rusty metal components.

Anti-Seize Compounds

Keep your components ready to go, with the TYGRIS range of specialist anti-seize compounds. Designed to suit a variety of applications, these compounds help to prevent rust, and keep your components protected, no matter the conditions.



Nickel Anti-Seize Compound

TYGRIS TG8005 is a premium quality anti-seize compound containing nickel. Specially developed to reduce corrosion and seizure on applications requiring low sulphur, chlorine, and fluorine levels, such as on Nimonic, stainless steel and silver coated components. TYGRIS TG8005 is also formulated to be used in extremely high temperatures, up to 1420°C. TYGRIS TG8005 is excellent for the protection of threaded connections, exposed surfaces and flanges.

BENEFITS:

- Prevents seizing and galling during assembly and therefore reduces assembly time
- Enables the easy dismantling of components subjected to extremely high temperatures
- Chemically inert thus provides an effective anti-seize in saturated chemical environments
- Enables fast and easy dismantling of components allowing them to be reused

PRODUCT CODE

SIZE

TG8005

500g

Aluminium Anti-Seize Compound



TYGRIS TG8105 is a premium quality anti-seize compound containing soft aluminium solid lubricant. Specially developed for applications on aluminium fasteners requiring low sulphur, chlorine and fluorine levels, thus reducing corrosion. This compound is formulated to be used in extreme high temperature environments of up to 760°C and is excellent for protection of threaded connections, exposed surfaces and flanges. TG8105 is compatible with plastics and metals.

BENEFITS:

- Prevents seizure and galling during assembly thus reducing assembly time
- Protects against pitting and therefore prolongs component life
- Prevents rusting, fretting and corrosion in exposed conditions
- Enables quick dismantling of components saving on maintenance time
- Enables parts to be reused after dismantling so reducing the cost of replacing components

PRODUCT CODE

SIZE

TG8105

500g



Copper Anti-Seize Compound

TYGRIS TG8205 is a high temperature lubricant providing outstanding overall metal protection against heat, rust, seizure and corrosion. High resistance to water and acids and does not burn off under extreme stress. For use on threaded components, pins and valve stems, in a range of materials including austenitic stainless steel. Commonly used within light engineering and the automotive maintenance/repair sector.

BENEFITS:

- Water and acid resistant
- Temperature range -30°C to +1100°C
- Use on a wide range of metals
- Prevents seizure of threaded parts
- Will not burn or wash off
- Eliminates brake squeal
- Assists in assembly and disassembly of components.

PRODUCT CODE	SIZE
TG8205	500g
TG8212	12.5 Kg

A hand is shown holding a spray can with a red nozzle, spraying a fine mist of liquid onto a dark, rusty industrial metal component. The background is dark and out of focus, showing more industrial machinery. The spray can has some text on it, including 'MAINTAINING & PROTECTING' and a logo.

Industrial Cleaners & Degreasers

When it comes to shifting stubborn dirt deposits and clinging grease, sometimes you need something a little tougher. These cleaners and degreasers have been developed to take care of stubborn dirt, grime, oil and more in industrial environments.



HydroTough 100

TYGRIS HydroTough 100 is a safe and effective solution for tackling heavy fuel oils deposits, stubborn greases, bitumen, resins, waxes and aged oil contamination. HydroTough 100 is recommended for use by local authorities, tar manufacturers, highway maintenance companies, industrial cleaners and bioremediation solution providers.

BENEFITS:

- Totally safe to use and environmentally responsible
- Outlasts conventional cleaners/degreasers
- Acts as a bio-accelerator for complete breakdown of hydrocarbons
- Prevents grease and oil build up on tools, equipment and machinery
- Extremely effective and economical in use
- Ideal for removing heavier contamination deposits
- Renders hydrocarbons non-flammable
- Aids biodegradation

PRODUCT CODE

SIZE

TB2025

25 Litre

HydroTough RI

TYGRIS TB2325 is a safe and effective alternative to solvents or high alkaline-based detergents that are commonly used for cleaning and degreasing glass, plastics and metals (both ferrous and non-ferrous). HydroTough RI is recommended for use by manufacturers or service companies in the preparation of component parts within manufacturing or refurbishment processes.

BENEFITS:

- Totally safe to use (no caustics, chlorinated solvents, silicates or phosphates)
- Outlasts conventional cleaners/degreasers
- Contains short-term rust inhibitors
- Ideal for cleaning and brightening metals such as Aluminium and Brass
- Prevents grease, oil and sludge build up on machinery and equipment, thus reducing maintenance downtime and costs
- Aids biodegradation of greases, oils and other hydrocarbon materials
- Highly effective and economical in use and minimises expensive disposal costs

PRODUCT CODE

SIZE

TB2325

25 Litre





Brake & Clutch Cleaner

TYGRIS TB6005 effectively removes oil, grease, dirt and dust from brakes and clutches, helping to eliminate brake squeal and clutch slip caused by glazing and contamination. This product can also be used on many other surfaces as a powerful cleaning agent, but not on plastic or rubber components.

BENEFITS:

- Powerful cleaning and degreasing agent
- Helps eliminate brake squeal
- Assists prevention of clutch slip
- Removes oil, grease and dirt.

PRODUCT CODE

SIZE

TB6005

5 Litre



Electrical Degreaser

TYGRIS TB6305 is a rapid and highly effective degreasing agent with excellent performance on all deposits of oil, grease and tar.

BENEFITS:

- Efficiently cleans plastics, ferrous and non-ferrous metals, evaporating rapidly to leave a clean dry surface
- Residual free
- Fast evaporating

PRODUCT CODE

SIZE

TB6305

5 Litre



Industrial Solvent Cleaner

TYGRIS TB7005 effectively removes oil, grease, dirt and dust from industrial machines and surfaces. This product can also be used on many other surfaces as a powerful cleaning agent, but not on plastic or rubber components.

BENEFITS:

- Powerful cleaning and degreasing agent
- Fast drying solvent formulation
- Removes oil, grease and dirt

PRODUCT CODE

SIZE

TB7005

5 Litre



Greasing Equipment

Correct grease application makes all the difference to how effective they are, and our selection of greasing equipment makes getting the best results possible easy! With grease guns, grease hoses and accessories, we have everything you need to get the job done right.



Premium Side Lever Grease Gun

BENEFITS:

- Develops up to 6,000 psi / 413 bar
- Bulk filler nipple/air release
- Screwed end cap for easy cleaning and quick discharge of empty cartridge
- Soft rubber handle grip and knurled barrel for a firm hold
- Grease capacity of 500cc for bulk fill or 400g cartridge

PRODUCT CODE	SIZE
TGG506	500cc



Premium Flexible Grease Hose

BENEFITS:

- Superior construction – inner tubing is polyamide with polyurethane sheathing, reinforced diagonally in highly tear resistant polyester

PRODUCT CODE	SIZE
TGG508	300mm



Industrial Flexible Grease Hose

BENEFITS:

- Facilitates getting lubrication to where it's needed (Suitable Personal Protection Equipment should be worn)

PRODUCT CODE	SIZE
TGG515	300 mm



Refillable Auto Bearing Lubricator

BENEFITS:

- Manufactured from transparent Lexan
- Setting dial (1, 3, 6 and 12 months) supply duration
- Supplied with medium tension spring with optional light & strong tension springs available for varying applications
- Suitable for use with all types of grease NLGI 0-1-2-3-4
- Operating temperatures -30°C to +132°C

PRODUCT CODE	SIZE
TGG511	100ml
TGG512	220ml



Couplers

PRODUCT CODE	SIZE
TGG510	N/a
TGG516	1/8" BSP
TGG517	1/8" BSPT

Oil Absorbent Granules

BENEFITS:

- Skid-Resistant For Safe Use On Roads
- Free Flowing And Easy To Spread
- Resistant To Most Acids And Alkalis
- Absorbency: 8L Per Bag



Superior Absorbent Granules

Free-flowing and easy to spread, each bag of high-quality Danish earth moler earth granule can absorb up to 8 litres of liquid. Chemically inert and fire retardant, you can rely on incredible results with every use.

PRODUCT CODE

SIZE

KSP20

20 Litre

BENEFITS:

- Suitable For Most Kinds Of Workplace Spillages
- Cost-Effective Spillage Control Solution
- Highly Absorbent
- Absorbency 5L Per Bag

Absorbent Granules

Made from a multi-purpose economical clay, these granules are ideal for most workplace spills, aside from strong acids. Designed for non-aggressive liquids, they can absorb oil, water and more.

PRODUCT CODE

SIZE

KU20

20 Litre



BENEFITS:

- Non-Dusty Wood Fibre Absorbent
- Harmless To The Environment
- Naturally Lightweight



Saffire Absorbent Wood Fibre

The wood fibres have been treated with sodium bicarbonate of soda, which makes them flame retardant and even safer to use.

PRODUCT CODE

SIZE

KS70

20 Litre

Absorbents and Spill Kits

Material Type

White (Oil)

Developed for the absorption of oil based spills and will not collect water or water based substances

Type of Spill

Oils

Fuels

Solvents

Alcohols



TITLE	CODE	SIZE
15-30 LITRE SPILL KITS	SK15(O) SK25(O) SK30(O)	15 Litre 25 Litre 30 Litre
50 LITRE SPILL KIT	SK50(O)	50 Litre
90 - 360 LITRE SPILL KITS	SK90(O) SK210(O) SK360(O)	90 Litre 210 Litre 360 Litre
500 - 1000 LITRE SPILL KITS	SK500(O) SK1000(O)	500 Litre 1000 Litre

OIL

Material Type

Grey (Maintenance)

Developed for the absorption of all oil, water and common aqueous solutions

Type of Spill

Oils

Fuels

Solvents

Alcohols

Water

Common aqueous solutions



TITLE	CODE	SIZE
15-25 LITRE SPILL KIT	SK15(M) SK25(M)	15 Litre 25 Litre
30-50 LITRE SPILL KIT	SK30(M) SK50(M)	30 Litre 50 Litre
90 - 360 LITRE SPILL KITS	SK90(M) SK210(M) SK360(M)	90 Litre 210 Litre 360 Litre
500 - 1000 LITRE SPILL KITS	SK500(M) SK1000(M)	500 Litre 1000 Litre

MAINTENANCE

Material Type

Yellow (Chemical)

Developed for the absorption of almost any liquid including concentrated acids and solutions

Type of Spill

Oils

Fuels

Solvents

Alcohols

Water

Common aqueous solutions

Concentrated acids and solutions



TITLE	CODE	SIZE
15-25 LITRE SPILL KIT	SK15(U) SK25(U)	15 Litre 25 Litre
50 LITRE SPILL KIT	SK50(U)	50 Litre
90 - 360 LITRE SPILL KITS	SK90(U) SK210(U) SK260(U)	90 Litre 210 Litre 360 Litre
500 - 1000 LITRE SPILL KITS	SK500(U) SK1000(U)	500 Litre 1000 Litre

CHEMICAL



Effortlessly Keep Your Machinery Running Smoothly With TYGRIS

The Benefits Of Automatic Lubricators

Automatic lubrication dispense small, precise amounts of lubricant at short, regular intervals.

The amount of time and personnel required for large plants, and machines located in hazardous areas mean that manual lubrication is often dangerous, impractical and expensive. Automatic lubrication as part of maintenance can resolve this issue.

More than half of all unforeseen bearing malfunctions are lubricant related! In 75% of cases, automatic lubricant dispensers help prevent bearing malfunction.



Automatic Lubrication...

Reduces Your Costs

- Saves Time
- Fewer Machine Breakdowns
- Due To Decreased Wear
- Lower Lubricant Consumption
- Increased Service Life Of Bearings

Protects The Environment

- Needs-based Lubricant Dosage
- Low Risk Of Impurities And Contamination

Improves Work Safety

Enables Monitoring And Provides An Overview

CONTACT US 01294 311066

TYGRISINDUSTRIAL.COM



Auto Greaser AquaLoad SVR

The Tygris Auto-Greaser is an electronically controlled single-point lubrication system, driven by a chemical reaction. The dispenser excels through user-friendliness and a good cost-performance ratio. This product is the right choice for most lubrication applications being cost-effective, reliable, safe and ecological.

PRODUCT CODE	SIZE
--------------	------

AT6412	120ml
--------	-------

Electroil Refillable Dispenser

The TYGRIS Electroil Refillable Dispenser is a battery-powered refillable oil dispenser, ideal for lubricating chains, spindles and linear guides. The assembly and commissioning of Electroil is very simple. The emptying options from 2 weeks to 24 months and the temperature-independent drive ensure a precise supply of oil to the lubrication point. When using a progressive distributor, up to 10 lubrication points can be supplied. Important status messages are visible at all times during operation.

BENEFITS:

- Refillable on-site
- Temperature-independent – linear discharge during the complete period
- Extra-large oil container of 500 ml
- Self-sufficient operation with battery operation
- Countdown of the remaining duration on the display
- Numerous detailed status messages via display and LED

PRODUCT CODE	SIZE
--------------	------

AL602	500 ml
-------	--------



Innoflex Auto-Lubrication System

The Innoflex Auto Lubrication System is a battery-operated lubrication system used when an autarchic operation is desired or necessary. The highly-efficient battery pack can optionally be set to empty the lubricant cartridge over a period of 1-36 months.

BENEFITS:

- Transport of oil and grease up to NLGI class 2
- Connection to machinery control possible
- Delivery pressure up to 70 bar (1015 psi)
- Fault/empty reporting
- Operating temperature range -15 °C to +70 °C
- Temperature-independent feed rate
- Visual inspection is possible at any time

PRODUCT CODE	SIZE
--------------	------

AL612	500 ml
-------	--------



Product Index

Page No.	Product Code	Product Description
3	R199	Dashboard Renovator (Cherry)
3	R200	Dashboard Renovator (Apple)
3	R205	Dashboard Renovator (Cranberry)
3	R201	Carburettor Cleaner
4	R202	Brake Cleaner
4	R203	Engine Degreaser
4	R270	Dashboard Cleaner Non-Silicone
5	R274	Brake Cleaner High Power
5	IS20	PRECISION Electro Clean
5	IS25	PRECISION Mould & Tool Cleaner Xtra
6	IS27	PRECISION Mould & Tool Cleaner Supa
6	R235	Electrical Cleaner
6	R207	Industrial Cleaner Fast Drying
7	R240	Circuit Freezer Spray (Low GWP)
7	R241	Micro Air Duster (Low GWP)
7	R244	Glass & Mirror Cleaner
8	R245	Anti-Static Foaming Cleaner
8	R248	Air Freshener Cranberry
8	R251	Graffiti Remover
9	R252	Graffiti Remover Viscous
9	R255	Ink & Gum Remover Citrus Based
9	R258	Stainless Steel Cleaner
10	R261	Super Power Air Freshener Cranberry
10	R267	Sticky Label Remover
12	IS1	PRECISION Looz-n-It Penetrating Oil
12	IS5	PRECISION Mould Release Medium
13	IS9	PRECISION Mould Release Light
13	IS10	PRECISION Mould Release Heavy
13	IS13	PRECISION Mould Release Non-Silicone
14	IS35	PRECISION Ceramic Release Agent
14	IS75	PRECISION Clear Forklift Chain Lubricant
14	R208	Metal Working Spray
15	R209	Graphite Penetrating Oil
15	R211	Clear Fine Oil
15	R212	Clear Penetrating Oil
16	R213	Water Displacing Anti-Rust Agent
16	R214	Cutting & Tapping Fluid
17	R216	Open Gear Lubricant
17	R217	Silicone Lubricant
17	R218	Moly Dry Film Lubricant
18	R219	Food Safe Lubricant
18	R220	Chain & Wire Lubricant
18	R221	Weld Spatter Release (Solvent Based)
19	R222	Weld Spatter Release (Water Based)
19	R223	White Grease
19	R225	Non-Silicone Mould Release
20	R226	Clear Grease
20	R228	Clear Polymer Chain Lubricant

Page No.	Product Code	Product Description
20	R229	Drive & Bearing Lubricant
21	R230	Clear Silicone Grease
21	R232	Super Lube Extreme Pressure
21	R233	Aluminium Anti-Seize
22	R234	Copper A-S Advanced
22	R236	Leak Detector
22	R237	PTFE Dry Film Lubricant
23	R273	Wax Chain Lube
23	R275	Seize Release Penetrating Oil
25	LMBE	Stripeline Marking Paint Blue
25	LMBK	Stripeline Marking Paint Black
25	LMGN	Stripeline Marking Paint Green
25	LMOE	Stripeline Marking Paint Orange
25	LMRD	Stripeline Marking Paint Red
25	LMW	Stripeline Marking Paint White
25	LMY	Stripeline Marking Paint Yellow
26	P300	Matt Black Paint (RAL9005)
26	P301	Satin Black Paint (RAL9005)
26	P302	Gloss Black Paint (RAL9005)
27	P303	Grey Primer Paint
27	P304	White Primer Paint
27	P305	Red Primer Paint
28	P306	Gloss White Paint (RAL9010)
28	P307	Bright Silver Paint (RAL9006)
28	P308	Black Primer Paint
29	P309	Self Etching Primer (Grey)
29	P310	Gloss Blue Paint (RAL5010)
29	P311	Gloss Green Paint (RAL6001)
30	P312	Gloss Red Paint (RAL3000)
30	P313	Gloss Yellow Paint (RAL1007)
30	P314	Gloss Orange Paint (RAL2004)
31	P315	Gloss Dark Green Paint (RAL6005)
31	P330	Black High Temperature Paint
32	R210	Heavy Duty Adhesive
32	R224	Bright Zinc Galve Spray
33	R239	Heavy Duty Zinc Galve Spray
33	R204	Battery Terminal Protector
34	R242	Clear Acrylic Lacquer
34	IS60	PRECISION Clear Mould Protector
34	IS70	PRECISION Green Mould Protector
37	TG6301	SILIXIS+
37	TG6804	Corrosion Guard Grease
37	TG7204	WR2 Calcium Grease
37	TG7205	WR2 Calcium Grease
37	TG7212	WR2 Calcium Grease
38	TG7304	High Speed Grease 2
38	TG7712	Heavy Duty Open Gear Grease
39	TG7818	BE-100 Rope Lubricant 00

Product Index

Page No.	Product Code	Product Description
39	TB7825	Silicone Oil 100
40	TG8504	High Temp Grease 2
40	TG8530	High Temp Grease 2
40	TG8630	Silicone Valve Seal
40	TG6404	AquaLoad SVR
41	TG8704	Very High Temp Grease 2
41	TG8730	Very High Temp Grease 2
41	TG9112	Wire Rope Grease 00
42	TG9805	Water Resistant Hub Grease
42	TG9804	Calcium Sulphonate Grease
42	TG9818	Calcium Sulphonate Grease
44	TG6004	Lithium Pin & Bush Advanced
44	TG6012	Lithium Pin & Bush Advanced
44	TB6205	Penetrating Oil
45	TG7550	Lithium Grease L2
45	TG8304	Lithium Moly Grease 2
45	TG8312	Lithium Moly Grease 2
46	TG8430W	White Lithium Grease
46	TG8404	Lithium Grease EP2
46	TG8405	Lithium Grease EP2
46	TG8430	Lithium Grease EP2
46	TG8412	Lithium Grease EP2
46	TG8418	Lithium Grease EP2
46	TG8450	Lithium Grease EP2
46	TG8499	Lithium Grease EP2
50	TG8804	Lithium Grease EP3
47	TG8812	Lithium Grease EP3
47	TG8904	Blue Lithium Complex Grease
47	TG8905	Blue Lithium Complex Grease
47	TG8912	Blue Lithium Complex Grease
47	TG8918	Blue Lithium Complex Grease
47	TG8950	Blue Lithium Complex Grease
47	TG8999	Blue Lithium Complex Grease
48	TG9004	Red Lithium Complex Grease
48	TG9012	Red Lithium Complex Grease
48	TG9018	Red Lithium Complex Grease
48	TG9050	Red Lithium Complex Grease
48	TG9099	Red Lithium Complex Grease
48	TG9212	Lithium Grease EP0
49	TG9330	Lithium Grease EP00
49	TG9312	Lithium Grease EP00
49	TG9412	Lithium Grease EP000
53	T500	Metal Working Paste
53	T510	Metal Working Fluid
52	T515	Metal Working Fluid
55	TB5105	Atmotec 50
55	TB6105	WD Anti-Rust Fluid
57	TG8005	Nickel Anti-Seize Compound

Page No.	Product Code	Product Description
57	TG8105	Aluminium Anti-Seize Compound
58	TG8205	Copper Anti-Seize Compound
58	TG8212	Copper Anti-Seize Compound
60	TB2025	HydroTough 100
60	TB2325	HydroTough RI
61	TB6005	Brake & Clutch Cleaner
61	TB6305	Electrical Degreaser
61	TB7005	Industrial Solvent Cleaner
63	TGG506	Premium Side Lever Grease Gun
63	TGG508	Premium Flexible Grease Hose
63	TGG515	Industrial Flexible Grease Hose
64	TGG511	Refillable Auto Bearing Lubricator
64	TGG512	Refillable Auto Bearing Lubricator
64	TGG510	Couplers
64	TGG516	Couplers
64	TGG517	Couplers
65	KSP20	Superior Absorbent Granules Lubricator
65	KU20	Absorbent Granules
65	KS70	Saffire Absorbent Wood Fibre
66	SK15(O) SK25(O) SK30(O)	15-30 Litre Oil Spill Kits
66	SK50(O)	50 Litre Oil Spill Kits
66	SK90(O) SK210(O) SK360(O)	90-360 Litre Oil Spill Kits
66	SK500(O) SK1000(O)	500-1000 Litre Oil Spill Kits
66	SK15(M) SK25(M)	15-25 Litre Maintenance Spill Kits
66	SK30(M) SK50(M)	30-50 Litre Maintenance Spill Kits
66	SK90(M) SK210(M) SK360(M)	90-360 Litre Maintenance Spill Kits
66	SK500(M) SK1000(M)	500-1000 Litre Maintenance Spill Kits
66	SK15(U) SK25(U)	15-25 Litre Chemical Spill Kits
66	SK30(U) SK50(U)	30-50 Litre Chemical Spill Kits
66	SK90(U) SK210(U) SK360(U)	90-360 Litre Chemical Spill Kits
66	SK500(U) SK1000(U)	500-1000 Litre Chemical Spill Kits
68	AT6412	Auto Greaser AquaLoad SVR
68	AL602	Electroil Refillable Dispenser
68	AL612	Innoflex Auto-Lubrication
71	V101	Maintain101

This silicone-free spray is enhanced with performance improving enhancers. MAINTAIN101 easily penetrates and releases seized corroded components, which not only increases component life but makes any assembly or disassembly in the future much easier. This spray doesn't just help with seizure, but can guards against corrosion and drives out moisture for effective protection.



Aside from protection, it also acts as a long-lasting lubricant that doesn't stain and keeps your parts working smoothly. This maintenance spray also provides fantastic cleaning power, and can power through dirt, grease, and grime on most surfaces! With so many uses MAINTAIN101 gives you effective Lubrication, Cleaning And Protecting in one handy 400ml can!

- Protects metal components from corrosion
- Comes With 360° Valve For All Over Use
- Cleans through dirt and grime

PRODUCT CODE	SIZE
V101	400 ml

CONTACT US - 01294 311066
TYGRISINDUSTRIAL.COM



Reduce Downtime. Increase Efficiency

Distributed By:

Explore the full range of TYGRIS MRO products.
For data sheets or more information visit:

TYGRISINDUSTRIAL.COM

FIND US



31 Kyle Road, Irvine KA12 8LE
Tel: +44 (0) 1294 311 066 | team101@tygrisindustrial.com